





William C. Kefoot

Clark Co. near the corner

Geo. S. Kefoot near the corner

Daniel S. Kefoot near the corner

Jaquie Co.

Dr. F. J. Kefoot Berry, Cedar

Calark Co. Ca.



59

Ad Anginam

Evacuat omnia Epispasta ab aur ad auram Torfilla Scarifica Sal
Ammon & Cono Ros Rub ad Cataplasma uti Epispast applica Torfilla
Miner & q Sacch Alb in Ore retenta ad Salivam promovend
Tinct Ros & Sp. Vitriol et Tinct Myrror & et pann Wall

Sp. & pann Walli aspergend et parti affect applica
alluviat ve Curat.

Ad Apoplexiam

*1. I. frequente et copiose Epistaxis Purgat Cinnab Nativ. Castor Contray
 Valerian et Medicam omnia Nervos Epistaxis Occiput Nuch et Cervi
 Emergit Occiput Sal Vol & Abo Totid a q. x. v. h. quag hora
 Bol Epileptie Enem purgans fortior.*

Ad Bubonoceli

161.

Post reductionem V.P. copiose Inima purgans Tot Cataplasma ex Aceto &
Farina Avenae Ambrosia Aceto Calida punct in Intest ext Rudi: 2.^a quod
hora ad reductionem suspend & Cui ut Intestini pondus adjuva

Chorea Sancti Viti

A Pelaeas universalibus habet Epistaphia Emelia Mispello Expresso Muller
 Purgat Ferrum Bolus Epilepti Semina Synap Valer Volat omnia

Colica ex Exhal Saturnini

Tinct Sacra d. Sept. i. Spin. Virgin. & Ben Thomam. R. Olio d. Ag. Nord
et Manna Balf. Peruv. Vid. Sydenham. Colic. Pictor.

Mors erat Monro Edinburgensis quo Albus Burgatis filius immoritur, Decret. Senno tenuior
in quantitat. largior exhibere quod multo citius Albus moveret. —

Contusiones externe et Interne

Externe si Inflammation aliquid absit & Dolore post V.S. et Cathartu
applic sequent

R. Muc panis albi lss Ung Dialtheos ℥j Rob Armenia
℥ij Aceti Aurimi q. ut f Cataplasma quin loco Infamat tantumodo
quidam Frigidas et si inept tum applicat Spirituos & Balnea prorepur
frigida ad partem maximopere adjuvat experlum est Linum paral
vel si alig durit et Infare Bispolcum Indie & pament Sp. Salt
brqstantiss. ad Echimos R. M. Aceti Aurimi d f & nulli Vesivat
hujus unus seti Acet & Oleo attendit et prestant vulgo solomonis Scal dicit

Si interne V. S. frequente Infus sennæ & renat Misctur Oleo Jul Vol
& Ol Amygd & Linct Sanans Lac Ammon Sperma Ceti Elect Nephrit
Lecet Exlicis Elie Nitriol Tinct Ros Fuleri Nit Rob Carrobor
Imp Carrobor Ambro & C et Sp.

Diarrhoea Trueta

651

Si dolor Intestini adsit Opii usum valet tamen si non adest nocet
Chylon Roman. Tinct. Rhab. & Laudano V. S. precedente Cygma coe
amyllo Suisi Mellilot Liquefact. et d. Lact commist. et deglutand
vel p. Cygma Injiciend. & addit Opii vel Spec. Fracast. — —

Sperma Ceti Ess. Flar. Camphora. Opium. Sapo et Bolus V. S. paucul. Ol. Amygd. B
ad consistantiam reducens Pilul. majores formand.

(66)

Elephantia fist

V. S. Bol Antimon (ling) i Sicc Licoct Ulmi Tar water

(Lingualis)

167

Epispast pone Aur. Nuch. vel Caput Amp. Tinct. Sacra & vel sine Aly.
Tulap. Volat. Tinct. Fuliginis Bot. Epileptis Infus. Paralytica
Sp. C. L. Succin.

Epilepsia

Epispastici V.S. et repet. Sab. C. Succin. Castor. Vates. Aqua. Folio.
 Rhubarb. & Singl. V.S. et Emetic. Scaton. Balnea calida et pos.
 frigida si intermitt. Coste.

Eruptiones Leprosae

(69)

Suoc Traumatico Nit Bol Sfori Bol Antimon Piperac
Oliopu Ung Sfori e Lic Tinct Martis in Suoc Lepathi
Suoc Ulmi. -

Gutta Serena

Pupillo dilatat pterumq; denolat nequclamen non certum est signum
 secundum enim Sharp non nunquam a Magist Naturali minuetur. V.P.
 Epispast Occiput Nuch. Set Nuch. Bob. Epileptie Cinnab. Natis
 Diluto. Apoc. Folio pul. Sternat. Julap Volatile Catoncl. Infus. Senno
 Salivat & Urinet

Homoptysis

V. Infus Sennae alias Lenit in Deco Lichoe Sanans Tinct Ros
Decoct Corticis Eliae Vitriol Decoct Traumat & Nit Ag Pulv &
Manna Sperma Cori & Olibano Rob Hyssopii Symplic Linet
putoral & Sp. Sulfuris & Campanam ac Gralam Acorem

Medicam Homoptois Dr. Willisiana e proventu notabil pro scrip

R Rad Rhei \mathfrak{z} j Crem Tart \mathfrak{q}° x m / Pulv solut mane
sumenda et semel in Septim ad Tres vices repetenda.

R Ext Cortic \mathfrak{z} j Tartar Regenerat \mathfrak{q}° x Sang Draconis \mathfrak{q}° viij
m et divide in Pilul ad dos unam & in die sume Coch w Mist sequen

R Ag Homotois (in Pharmacop. pauperum) \mathfrak{z} x Mist
Salin \mathfrak{z} viij m

R Ag Norecat \mathfrak{z} j Syz i Mecon \mathfrak{z} viij Eliae Vitriol \mathfrak{z} viij
m / Haust singul Vesperis h. s. sumenda

Hydrocele

Epispastica Fomut. prope Scroto Bol. & Rhxo Calomel. q. iij Infus. Sennae
 Fot. Spiritus Aq. Lyberrani post sumit applic. Mere proficit R. ut
 Inflammatio excitat et adhesionem procurat ut Lapis Inferni fi
 exitum Aq. Gisle

Balsam Apoplec Oxoniens

109.)

R. O. N. M. express \approx i Mosch Libeth Ambr Grise d. g. 7
 Ab Succin Storismar Majorana Rhodi Menta Cinnamomo
 Sp. Lavend d. g. 40 Ab Caryoph Juniper Sassafras Limon Jas
 Aurant d. g. 30 Bals Peruv \approx i m f Balsam s. a. -

Balsam antihistoria D^{ris} Moore

℞ Flor Hyperici q.s. infunde in V. Albi tantum quantum ^{est} capere
Flores et Insolentur ꝑ Liq. 3.^{us} dies tum colentur et adde flores de
novo donec Vinum rubicundum instat Sanguinis Colorem. hunc Vin c
Ultimis floribus add q. q. Oliv Insolentes spatio Quadrimum tum
expriment et singulis ℞j adde ℞ Terebinth = ij Croci Dij 12 M Saryop
a = ss Myrrhæ Resini Lini Jethyocollo a = ss his addend simul
in Cucurbit Scorporentus Vitreo et Capitell et Resepia vni. lutat
in Balneo distill donec quant. eadem Vini extill. exprimaturs Resid
uum calidum. Sic prostantiss habebis Remedium ad Pleuram. aut
Vulnere applicand summa etiam interne ad Phthysin

Bolus Volatile

R. Lab. 106. ℞ Thoria Andromachi a g. xv Vales Camphoris a g. v
Laudani Liquidi g. xij Sy. c Muon. qv. ut f Bolus

In Languoribus vel Salivatione vel a purgat in modis ort
confortat et maximopere dolor Inquit alleviatur.

Tinct. Valerian Volatil

R. sp. sal Volat Oleo lbj Rad Valerian ℞ij s. Tinct

R. hujus Tinct Tinct Castorei a = p m f Gutt.

Guttes D. Wilmoloniensis

R. sp. sal Vol Oleo = p sp. Viol ℞i sp. Vitriol q. 30

Tinct Cathartici Officin Nost

R. Fol Sennae = xij Calis Cathartici Amar lbj Caryoph contrus
= p Sedac = ij sal Tart = ij Ag Font R Congj f Infus
v.a. et adde. sp. Moschi lbij color est ex elegans et in promptu
est ad usum extemporaneum

Pulv Cordialis Nost

R. Lapidis Lent = j Serpent V = ij Croci Ca flores a = j
sal Vol ℞ij m f & Officinalis

sp. Lavend Rub

R. sp. Lavend albi Congj Corti Flavio Aurant Scillit
Santal Petrior a = j m m Maiis Caryophill Sem Cardam Min
Cubeb a = jss Santal R = ij Croci Coccin a = j f Infus v.a.

Tinct Guajacii

R. sp. sal Vol Oleo lbj Gum Guajacii = j m f Tinct

Sp. Sal Vol Oleo

(11)

R Sal Tart Ammon a lss R N M Caryophyll Majorana
Lavendul a g. xx Ol Aurant zj Limam Gut xx Sp. V R lbrj
Ag Ros D Thymi Limacis a lbrj distill in Retort Vitree ad lbrj

Tinct Cardiac Most Stomach

R Spu Diamb Rad Galang a zjss Croci Coccinello a zjss
Infunde in Ag Absynth Major zjss f Leni Calore Tinct

Ag Mirabilis

R Pip Jamaica zjss Len Cardam Min Rad Galang Cubeb
a zjss Sp. V Galio Long zjss Tui Chelidon Longj distill Long zjss

Tinct Amar Loweri

R Chalcis pss Tremor Tart a zjss Vinu Albij lbrj Ag Lact Aloe
lss Ag Absynth May Gentians a zjss Infunde f Dies 5.
dein add Rad Gentians zjss Zedoar zjss Flor Centauree M.
Chamom a lss Absynth Roman pss f Jaspis f Dies
20.th Colat seroa ad usum.

Elixir Salutis

R Fol Senno zjss Ras Lien Guajac zjss Muscu Galapin
a zjss Enul Campana Semin Anisi Angelic Laur Sylv
R Liquorit a zjss parentur so. et Infunde in S. V. vel Ag Vitis
vivo Ag Anisi lbrj add Sal Tart zjss

Tinct Rhab Nost

R Rad Rhei Opt \mathfrak{z} viij Semin Cardam Min Cruci ad \mathfrak{z} x
 Rad Jalapii \mathfrak{z} ss Infunde in St. Gallii lbij V Allis lbj f
 Tinct adde Salis Tart \mathfrak{z} iij

Decoct Variatos

R Roridii Corlat \mathfrak{z} viij Liquorib \mathfrak{z} iij Ficum pinguet ad \mathfrak{z} i
 Capill V My Cog in Ag Fontana qv. ad \mathfrak{z} xij adde Sy. c Rub Joro
 \mathfrak{z} iij ss R Vitriol q. \mathfrak{z} iij f Decoct.

Sy. Milleped

R Milleped 4 qv. contunde Mortar Marmore et adde Vini All
 qv. ub f Expres qv sine Colatione f Syrupus

Puls Plumerican

R Sulph Aurat Antimon Jalomeb ad \mathfrak{z} iij Gum Guajac
 \mathfrak{z} iij Resin Guajacii \mathfrak{z} i Batfam Capiv qv. ub f Mass
 Filul sing \mathfrak{z} i serment N^o 12 capt. s Noct Maneq. -

Sy. c Tortie Aurant

R Tortie Aurant Sucat \mathfrak{z} iij Superaffunde Ag Bullb lbiv
 Cog ad lbij Colat adde Sacch Allis lbij ss f Sy.

Confect Alhermis

R Sue Lemor Fragrant Ag Ros Damascen ad \mathfrak{z} xij Sacch
 Allis lbj Cog in Ag ad confect Sy. Qui adde Sue Hermis lbj
 cog iterum ub f Confect addend Puls Alois Legni Cinnam
 Reut ad \mathfrak{z} iij

To Pickle Cucumbers Ripe or any thing Green

Put your Cucumers in a Jarr with some salt over them. W^h then take
as much Vinegar as will cover 'em & boyl it with Piper Linz Caryophill et
dum calidissime superaffunde quod ad 9^{am} vel 11^{am} Vicem repet singul
die et virid color acquies super impone semin Anethi et serva ad us

Brasica Rubra Muricata

Brasica minutim incis adde Salis paululisp et separam exortie
bene misceantur et stent spatio 24 vel 3 horarum dum a succ Sale
solut tum a Trib cola et in vasa impone superaffunde Muria
dura frigid quog Brad vulgo Brad spat hor ^{in Ag. Font} et quog impone
Brasica et supra omnia Linz Piper Puls Synape Brad Brasica

Nuccs Moschat Muricat

Br M dum Test mollet quod scies per ingress vine Vi Spinulas
superaffunde Ag Font quod repetet de novo singul Die ad 8 Dies
Septimo et Octavo addet Salis paululisp tum & Trib cola et d Colitis
humid exerce et impone in vase cum Allo commist tum coq acit
& Caryophill Linz Piperis & M omnia contund sem Aneth Carni
Coxiano Fomiu ad 3ij quog contus Salis paululisp coque omni
et d frigesit superaffunde N.M. superimpon Synap Puls

Si qd Usum cito velis impone N.M. super Ignem in Ag Font d Sale dum
frigid et d Coquesit ab Igne remove Cola et exerce et Muria
Superaffunde

Fungi ex Ugg

De Fung. Terreſtreis qui et ſacula remore imponunt in Ag & Lact
commiſt et Abſturg & Lanno Wallius et immediate in Ag & Lact impon
quo Color ſubito præſervat ſunt & Trib colentur et imponunt in Ag & Lact
de novo dum vapor Igne coquendum et coquent ſpatio Mement & tum ab
Ignez amove et Trib colent miſceant & Sale pauluſper ſuper Igne^{nt}
et immediate injiciant ſupra ſpinnam et ab Peira quæd frigent lege
enimoi omittatur Cter colentat ad Teſium tum cog. Act & Mace
et Bip. Alli et & frigere ſuper affunde Fung. impon vapor omni
cem Tart pauluſper WM quoq commiſceant.

Lobsters poled

Fiſt boyle m vapors half a Dozen then clear m of the Shells
break m in pieces & boyle them in a pan in a pound of Butter
ſtirring m all the while for a quarter of an Hour then ſeaſon
with pepper & Salt to liking & ſtrain it through a Linnen
that the Butter may run from it & when almoſt cold put it in
your pottle & preſſe it very hard putting ſome of the Butter over m
that was ſtrained off

Applicat. Calida Hawkinienf

℞ Digestiv Commun vel Bisali Flav $\frac{z}{ij}$ Balsam Terreb
 $\frac{z}{j}$ m

Cataplasma Sane Thomae

℞ Cerevisia siccamenti veteri qd Farina Avenae et Olei a q.s. ut f Catap.

(Ung Labial

℞ Cera Alba $\frac{z}{ij}$ Olei Olivar $\frac{z}{ij}$ Rad Anchusa $\frac{z}{j}$ Ag Rosae q.s.
 ut sine unctione Tinct extrahend.

2^a

℞ Ung Pomatum $\frac{z}{ij}$ Cera Alb $\frac{z}{ij}$ Spem Ceti Butir i Flor Aurant
 a $\frac{z}{ss}$ Balsm Beruo $\frac{z}{j}$ Rad Anchusa $\frac{z}{j}$ f Ung v.a.

Mistura Cosmetica

℞ Olei Amygd Amar $\frac{z}{j}$ Tartaris $\frac{z}{ss}$ Deliquum $\frac{z}{ss}$ Ag Regin.
 Hungar Succ Limon a $\frac{z}{ss}$ f M qua cum Illinantur partes
 Affectu et diligenter fricentur.

Pulvis Sternut S.M.E.

℞ Pulv Nicotiana & Valeriana a $\frac{z}{ij}$ Ole Lavenduli Majorana
 a qd $\frac{ij}{m}$ ad Usu.

Medicamenta.

128

Emp Adhesiv Odoris

R^x Emp Diach Simplic lbij Pice Burgundie ℥iv Pulv Jris Florent
℥iss Zibeth q^x m f Emp. vel O^e Rhodii Gutt aliquot addent.

Emplastr Oxycroc

R^x Pice naval Burgundie a lbij ℥ij Resin Flav Cera Citrin
a lbij ℥ij Terebinth lbij Gum Galbani Ammon colat a
lbss Myrrha Maslich a ℥xij Santal Rub ℥iv f Emp s.a.

Emp Diachil Simplex

R^x O^e Urs (Acung) Porcina Litharg a lbij Ag Font q.s. ad Empyreum
prociend f s.a. Emplast.

O^e Arthritic D^r Rogeri

R^x O^e Lini ℥vj Exceftrens ℥j Myrund ℥j Petrol ℥vj
O^e Nervini ℥iss Sp^r Terebinth ℥ij O^e Vitrioli ℥ijss m

Bolus Arthritic

R^x Spu Diamb s.o. Pulv Alebor it a q^rij Gum Guajac
Castorei Camphore a q^rij Sy^r c Cortu Aurant q.s. ab f Bolus
remedium est peribile

Applicatio calida Bromfeldiens ufus Hofcom St. Georg

R^x Linum Arcei ℥ij Balsam Capiv ℥j O^e Terebin ℥ss m leni calore

107/

Proscripta paucula Officinalia Vagula.

Modicum Diaphoreticum Vigonis

℞ Opii purissimi ℥vj Contrayerva Serpent Rad ʒss Croci Coccinell
a ʒj Ag Theriac ℔ij dige ad Duos ℥ij. Land Liquid Sydenh. ad
Dose largam Caput maceriet et per addit Sp. & provocans et

Modicum alterum ʒ Cox

℞ Sapor Vinet Opii a ʒss Camphoris ℥ijj Spermatis Coli Gum
Guaja a ʒij Zedoar Balsam Tolut a ʒj Croci Anglie
℥ij infunde in S.V. ʒ et s.v.a. Tinct. vide Balsam Anody Batian

Extract Papaver Albi usu Opii nonnunquam prostat.
Loco Sp. Trebinth in Pilul Mathoi utatur Balf Capiv

Tinct Helvetii

℞ Lymat Chalybis ℔ij Tartar Alb ℔ij S.V. q.s. ad fast Consistentiam.
stent loco in Humido ʒ Duos ℥. tum evapapor ad siccit quod ad
8 Viis repetat. ℞ Martis modo supra proscripta ʒij Sp. Vini Cong
infunde et ʒ Tinctura.

Tinct Aromatica ꝓ Elixir Vitrioli

R. Calomus Aromatic \mathfrak{z} ij Cubeb Galanga \mathfrak{a} \mathfrak{z} j Cortis Flavesc
 Aurant Limonum \mathfrak{a} \mathfrak{z} ss Fol. Salva Menth \mathfrak{a} Mij R. M.
 Macis Caryophill \mathfrak{a} \mathfrak{z} ss Sp. V. R. Mij digerent pro Heboomas.

Acid Volatile

R. S. V. R. Mij O. Vitrioli lss stent simul pro Div. xiv
 cin distilla.

Elixir Vitrioli Vigoris

R. Acidi Volatilis \mathfrak{z} j Tinct Aromatic Supra script. \mathfrak{z} iv
 in eto facta est.

Tinct Emetica Aurantiorum

R. Pulv. Jpocac \mathfrak{z} ij Rad Calam Aromat Zedoar Incis \mathfrak{a} \mathfrak{z} i
 Cortis Flavesc Aurant \mathfrak{z} ss Tart Emetic \mathfrak{g} \mathfrak{x} ij Cocin \mathfrak{g} \mathfrak{x}
 Vini Albi llij \mathfrak{z} iv infunde Baln Calida et per filtrum
 trague Dos \mathfrak{z} iss ad \mathfrak{z} ij.

Tinct Jpocacuantho

R. Jpocac Pulv \mathfrak{z} ij Vini Albi llij diger Div. s. ^{bus} Colat
 ꝓ Filtrum Trague dos \mathfrak{z} iss ad \mathfrak{z} ij \mathfrak{z} ss Ocum Scillit

Nicotian Ophthalm Berharicam.

R. Fol. Tussilag Mij Betonico Mij Flor Anthos Lign Sassa \mathfrak{a} \mathfrak{z} ss
 Lemn. Tenu \mathfrak{z} ij Flor Lavend \mathfrak{z} iss Lign Aloes \mathfrak{z} ij Nicot
 Optim. llij in pro Ju. Sternutator.

Balsam Apoplectic Oxoniens

109

R. A. N. M. Express \mathfrak{z} j Mosch Zibeth Ambrogis a g^r 2 O. Lucin
 Storismar Majoran Rhodii Menthos Cinnam sp. Lavendul a g^r 10
 O. Caryophil Juniper Sassaif Ysent Limon Jasmin Aurant a g^r 50
 Balsam Peruv \mathfrak{z} j m f Balsam. ros.

Balsam Hyperic L. Moore

R. Flor Hyperici q.s. Infunde in Vini albi tantum quantum
 cooperiantur Flores et insolventur per 2^{am} vel 3^{am} Dies tunc colentur
 et adde Flores de novo donec Vinum sit rubicundi inftar Sanguinis
 Coloris huius Vini d'ultimis floribus adde q.s. O. Rosar insolventur
 ad Quatriduum tunc exprimantur et singul. lbj adde O. Terebin
 \mathfrak{z} ij Croci \mathfrak{z} ij N.M. Caryophill a \mathfrak{z} ss Myrrha Resin Cini
 Felthyocoll a \mathfrak{z} ss his addend simul Incorporantur in Cuneo Bit
 Vitreo et d'Capitell et Reseptae rite lutatis in Balneo d'fill
 donec quant eadem Vini extill hoc peracto exprimatur residuum
 cum calidum. Sic pro flagell. prim. habebis remedium ad Plur
 aut Vulneres applicand sumend etiam Interne ad Pethyfin.

Bolus Volatil

R. Sal Vol \mathfrak{z} Theriac Andromae a g^r 7 v Valer Camphor a g^r 5
 Laud Liquidum g^r 12 Vly. i Mecon q.s. ut f Bolus.
 In Languorib vel a Salivatione vel per purgat immodicort
 confortat et maximaper dolor inquietud alleviat.

Tinct Valerian Volatilis

R^x Sp. Sab Vol Oleo lbij Rad Valerian Pulv $\frac{1}{2}$ in f Tinct. —

R^x Tinctura hujus Tinct Cast a $\frac{1}{2}$ ps m f Gutt. —

(Guttis Dⁿⁱ Wilmotonicis)

R^x Sp. Sab Vol Oleo $\frac{1}{2}$ ps Vlj. Violar $\frac{1}{2}$ j Sp. Vitriol q^r 30
m f Gutt. —

Tinct Cathart Officin Noft.

R^x Fol Seneg $\frac{1}{2}$ xij Sab Cathart Amar lbij Caryophill contus
 $\frac{1}{2}$ ps Zedoar $\frac{1}{2}$ vij Sab Tart $\frac{1}{2}$ vij Aq Fontan bullientis
Congj f Infus a. a. et adde Sp. Molops lbij Color est ei
elegans et in promptu est ad usum eodemporaneum

Pulvis Cordialis Noft.

R^x Lapidis Contray $\frac{1}{2}$ j Serpent V $\frac{1}{2}$ vij Croci Castorei a $\frac{1}{2}$ j ps
Sab Vol $\frac{1}{2}$ j m f Pulv Officinalis. —

Sp. Lavend Rub

R^x Sp. Lavend Albi Congj Cort Flavet Aurant Santall Citron
a $\frac{1}{2}$ j n m Maies Caryophill Semin Cardam Min Cubeb a
 $\frac{1}{2}$ j ps Santal Rub $\frac{1}{2}$ j Croci Coccinilla a $\frac{1}{2}$ j f Infus s. a.

Sp^u Sal Vol Oleos

111/

R^x Sal Tart Am^{on} a lbss & N.M. Caryophill Majorana Lavend
a g^{ss} & Ol Laurant ʒij Cinnam g^{ss} & S.V.R. lbij Ag Ros Dam
Thymi Limac a lbij distill in Retort Vitreo ad lbij

Tinct Cardiac Nost Stomach

R^x Spic Diambro Rad Galanga a ʒss Croci Cocinell a ʒss
infunde in Ag Absynth majoris Comp ʒviij Leni Calore f^{ine}

Ag Mirabilis

R^x Piper Jamaicens ʒij Sem Cardam Minor Rad Galang
Cubeb a ʒij Sp. V Gallici Cong vj Ole Chelidon Cong j
distill Cong viij.

Tinct Amar Lenceri

R^x Chalebis ʒss Cremor Tart a ʒss & adde Vini Albi lbij Ag
Lact Alexit lbiss Ag Absynth majoris Composit Gentiano
a ʒij infunde pro diebus 5.^{us} dein adde Rad Gentiano ʒij
Zedoar ʒij Flor Centaur Min Chamom a Mss Absynth
Romani ʒij f^{ine} Infus pro Diebus 3.^{us} 20 Colat serv ad
usum.

Elixir Salutis

R_x Fol. Seneg \mathfrak{z} ij Bras Ligni Guajacii \mathfrak{z} ij Meoacanths
 Jallapii \mathfrak{a} \mathfrak{z} ij Nutt. Campana Sem Anisi Angelici Baniis Silv
 Rad. Liquoriz \mathfrak{a} \mathfrak{z} ij parentur aa et Jusul sp. V. vel Aq. Vitis
 sive Aq. Anis lbij adde Salis Tart \mathfrak{z} ij.

Tinct. Guajacii

R_x Sp. Sal. vol. Oleo Cbss Gum. Guajac Pulv \mathfrak{z} ij m. f. Tinct.

Tinct. Rhabarb. Kost

R_x Rad. Rhei Opt \mathfrak{z} viij Sem Cardam Min Croci Anglica \mathfrak{z} x
 Rad Jallapii \mathfrak{z} ss infunde in sp. V. Gallic lbij Vini Albi
 lbj f. Tinct adde Sal. Tartaris \mathfrak{z} ij

Decoct. Variolos

R_x Hordei perlati \mathfrak{z} vj Liquoriz \mathfrak{z} ij Ficum spingued N^o
 Capill. Ven Mj Cog in Aq. Font q.s. ad \mathfrak{z} xij adde Sy. i
 Rub. Ileo \mathfrak{z} ijss Et Vitrioli q^t xij f. Decoct.

Sy. Milleped

R_x Milleped viv q^s contunde Mortario Marmore et adde Vini
 Albi q.s. ut f. Expressio quod sine Coctione f. Syrupus.

Pulv Nummerian

113

℞ Sulph Aurat Antimonii Calomelad ℥ij Gum Guajac ℥ij
Resin Guajac ℥j Balsam Capiv q.s. ut f Mass pro Pilul
coq cujus sing ℥j formentur Pil ℥ij cap: 3 Not Maneg -

Sy: i Cortice Aurantior

℞ Cor Aurant Siccit ℥ij Superaff Ag Bullientis Abis
℥j ad Abis Colat adde Sacch alb Abis f Sy: - - -

Confectio Alkermis

℞ Succ Pomorum Fragrant Ag Ros Damasc ℥xij Sacch
Alb ℥ss ℥j in Ag ad Consistent Sy: cui adde Suc Rermis
℥j coq iterum ut f Confect addens Puls Alois Ligni
Cinnam acuti a ℥ij - - -

Spec Diatragicant frigid

℞ Gum Tragacanth ℥ij Amyli ℥ss Gum Arabic ℥x
Puls Liquorit Sem papas Alb a ℥xij Sem Melon accortis
℥x Sacch Albiss ℥ij in f Puls s.c.

Elect Spec Compositum

R. Cons Flor Malvæ \mathfrak{z} iss Spermat Coli \mathfrak{z} ij (Ole Amyg
Dule paucil rotat) Cinnab Antimonii \mathfrak{z} ij Gum Guajac
 \mathfrak{z} iss Ocul \mathfrak{C} \mathfrak{z} ij Spec Diamb s.o. \mathfrak{z} ij Syz. è Bac
Sambuci q.s. m f Elect Molle.

Balsam Lucatell.

R. Terebinth \mathfrak{L} ij Cro Flav \mathfrak{z} ij Balsam Peruv \mathfrak{z} iss
Santall Rub \mathfrak{z} iv & Hyperici \mathfrak{z} iss & Oleo Optim \mathfrak{L} ij
m f Balsam sa.

Pulv Cathartic Noft.

R. Pulv Jallapii Tremoris Tartari \mathfrak{a} \mathfrak{z} ij Calomel \mathfrak{ss} \mathfrak{z} ss
Diagred \mathfrak{z} ij Zinzib \mathfrak{z} ij & Caryophyll \mathfrak{g} \mathfrak{z} ij m f Pulv Dos
 \mathfrak{z} ij ad \mathfrak{z} ij.

Trochisci Anticardialgie

R. Sacch Albi \mathfrak{L} ij Croc Alb Ocul \mathfrak{C} \mathfrak{z} ij \mathfrak{a} \mathfrak{z} ij & N. M. \mathfrak{g} \mathfrak{z} ss.
Bol Armenia \mathfrak{z} iss e q.s. Musilag Gum Tragac in Ag Ros parat
f past in Tabul formend.

Ethiops Antimon

R. Antimon Medicin Balsam Argent Va \mathfrak{L} ss f Ethiops sa

Ad Empлаstrum Dominicanum

125

Rx Gum Benzoini ℥ij Sp: V Franc Optim ℥ij stent loco in calido
ad 6^{ta} Septimanam per Tribulum trajice et adde Jethyocoll ℥ij
imponere super ignem donec solvant iterum d Spatula Argentea
coare cola iterum et d Benicul Grisea super Balsum Nigrum
coactum superlin et infusa quoad Tertiam vicem repetend.

Injectio p Moure utat

Rx Sivi Ovill depurat ℥ij Cera Alba ℥v Ol: Oliv ℥ij Liquefact
omnia adde Terebinth Venet ℥ij Cinnab Factice ℥ij vel Coler
si visio magis placeat. Eborinis ℥ij.

Ag Calci d vulgo chalk dictum perstat id cum Lapid factum
noti enim uti hoc sal incrustat sed manet loco solutum.

Heberden

For a weaned Child - After Milk or Milk & water
 with a little Sugar or Milk with Opuel or Thin Panada
 or Rice water - Solid Animal Food never to be given before
 the sixth month - For a Lax Habit Lax Milk, Rice & Bran
 - For a Costive Habit They, Opuel & Teale, Baked Apples
 Children ought not to be weaned before 4 months end -
 - The best drink for children is milk & water or Barley water
 - at the end of 12 months they may be allowed small Beer
 A Nursery ought to be Light, Airy, Roomy, clean & sweet
 A Child should be amused, exercised, & kept awake by day
 his clothes should be loose & kept dry - For an Emetic
 From 3 to 6 grains of Pulv. Ipecacuan. or From 5 gutts
 to 2 of Vin. Ipecacuan. or Dilolve gr of Antim. Tartar
 in Aq. Distillat. Ziv & give Zij of the solution every
 1/2 of an hour till it produces its Effect of Purgatives
 In the first month ^{reagent} of Ol. Rucini may be given
 or Rhazi grj & Gallap grj or a Sylliter of Opuel Ziv
 or Gallap grs or saur. grs or with Calomel grj in ^{volut.} warm
 Astringents for Laxity Chalk Mixture Zij Infest. aromak.
 Anict. grj Gutty sum. loche parv iij twice quaterne de die
 For children born apparently lifeless Inject any warm liquid
 inflate the lungs by blowing into the mouth & rub the body
 For the Throat, ^{or throat} Mel part. 3 Borax for Alum. 5 Ros. 1 part 8
 For Hiccup, Aet. c. sacaro. / For acidity Magnesia
 Platiderey, little Food & a little Water Refill net, Exercise by day
 For Worms Gallap & Calomel & Injections when the worst are
 Vomiting by an Emetic or a Saline w. Anict. Zij Gutty

Eruptions, If obstinate Decoit. Ellet. Alb. or the Ung.
Calc. Hydrag. Alb. or the Ung. Hydrag. Nitrat. &
Adipis Quilla part. eq. to Lima & the Cort. Peruv.

- Purging gently for Purple spots & colourless swellings
- Of sore Ears, Cerat & Goulard if bad Ung. Calc. Hyg. Alb.
- Of chafing, Hair Powder & Cerat.
- Chilblains Sp. Teret.; camphorated spirit & Cerat.
- The Scald Head, is infectious by Combs, Pillows or Hats
Ung. Hydrag. Nitrat.; Ung. Calc. Hydrag. Alb. also
a solution of the Hydrag. Muriat. in water or a
Decoit. Ellet. Alb. or of Tobacco, The Head shaved
& well washed in soap & water or with Ung. Pius
Fraxinophula & a Bath, salt water & brewed Ruelia
White swelling, A Seton & Cort. Peruv.

The Curved Spine, Two deep Issues in the Back on each
side the diseased part to keep them open till recovery
In Rickets, under 3 y.^{rs} old, Flesh soft Joints & Belly swell
Bones curved, Teeth decay & general weakness take plenty
of nourishing Food, suitable Exercise, Fruit, Country air
Cold Bath & Cort. Peruv. should be employed

Flare Lip, Should be cut either on the Day of the Birth
or after the fourth month when I consider safer
The Spina Bifida is a soft Tumor on the Backbone
near the Loins, Apply constant & gentle Pressure

Rp

Pulv. e. Polo. S. Qi. Zij

Cons. Rosar. Zi

Syrup. Simp. L. S. J. Electuar

Ru

Miller

Oil Preserve Butter any time without change
Take Salt Zi Nitri & Sacchar. Ten. a. Zij

~~Hamamaleptic~~
Hamamaleptic or Concentrated Essence of Cornish
Chamomile

Imperial Detergent

Apthecathartic Powders

Ad Usqueb. fundam.

(115)

*℞ Cortic Cinnam Caryophill et Cimento vel Liperidid Jamaicens ad
℥ss Sp. M. Gallici Cong ips. Ag. Tortan q.s. ad Empyreumam prodeas
et detrah Cong ips in qua Infunde ℥℥℥ Contus et in Modulo
Ligat ℥ss Macis ℥ss Balsam. Solis ℥ss stent simul spatio
Hibernico tam decantetur et adde Sacch. Albissim (in Ag. Soluti
et ad consistens Sy. evaporat) ℥ss. Baln. Marc. magis prodest multo*

Ad Ag. Cinnam. Fortior et Tenu. fiend

*℞ Cinnam. contus ℥iij Sp. Moloss Cong. in detrahatur Fort Cong
iij et sequentia ad Cinnam. Tenu. serva sibi prope Cong iij
Prostantiores ita parata Colore et Gustu.*

116 Convulsions are brought on by Worms, Teething
Indigestion or whatever irritates the Nerves or where
the Vital Spark is weak there is danger when the
Intervals are short - Injections of warm Milk or
Oil, Warm Bath, Blisters, & Frictions, sometimes
the Camphor Mixture is useful & Guttij of Tinct. opii camph.
omni hora

Disorders of the Eyes Leeches to the temples & Blisters
& a Poultice of Bread & Milk in a fold of Cambric if a
weakness continues Or Aq. Distillat. Ziv. yonard. Aq. Ziv.
or Distillat. Aq. Ziv. & Croup vesat. opii or vit. alb.
if the Eyelids adhere some soft mild Ung. opii

If there be a White Pock drop in Aq. Alumin. Comp.
Guttij ter die of Aq. Distillat. ziv.
Hydrag. muriat. opii For a Squinting not born with

cover the sound Eye for a few days wth a close Bandage

Bleeding at the Nose a Pledge of Lin in introduced into
the Nostril till it reaches the Orifice of the bleeding vessel

Or a leech & Leeches to the Arm & Inge^a Blister Guttij
of the Syrup of Papaw. Alb. bis ter die & Ziv at bedtime
Also Change Air & drink Rapes Milk

Whooping Cough If loaded with Phlegm an Emetic
at night Tinct. opii Guttij or Syrup papaw. Alb. Ziv Blisters
to the Spine, Change Air if shortness of breath &

For the Croup a Cornit Squills, a sassa. tida & Comm. rose
Steaming aomet with in Children under 12 y^{rs} old

1576

Walnutts Pickled

Take when so ever that a Tree will grow through them cover them with Vinegar which change once a Week add a new then take of Mustard $\frac{1}{2}$ lb. Linseed $\frac{1}{2}$ lb. Pepper long $\frac{1}{2}$ lb. which boyle with the Vinegar & pour it on hot three times much better than laying in in cold Water. Fresh Water for 3 Weeks at first & afterward salt & Water is preferable to all salt & Water and better extract their bitterness.

Some put them three different times in boyling Water and last of all salt & Water.

English Ketchup

3iv

To a pint of White wine Vinegar put in or 12 Cloves of Shallot browed White Wine in qua dissolue Ambrosius 12 washed & cut in pieces then take Beets 1 lb. 1/2
it infunde Mustard Linseed Long pepper 1 lb. continue Cook 1/2 coz pauling it
it a frigid impone it M N Lemon 1/2 Flavet Anise Cyprian Must Thyme
Cook 1/2 salt and Aleboma & frequenter agitate.

To make Pickles keep well

Suppose Onions Cabbage Kidney beans or Cyliflores first salt in well & let in lay five or six Hours or till their naturall Juice has dissolved their salt then dry in before the fire & when the pickle is made & cold pour it upon in & at top Ginger Cloves Pepper Mustard Horseradish & Salt.

575

Of the Ulcerated sore throat The throat is painfull
swelled red & ulcerated wth Fever, Loss of strength & Delirium
The Breast & Arms, suffused with a red colour. A Plaster
of Can. Maritima is almost always usefull - a Gargle of
Infus. Rosar. or Honey, Vinegar & Port Wine & wine in
the Patient's Gruel or Drink is often salutary

The Scarlet Fever ^{in Infants} Breast, Arms & whole Skin red
with Languor, Light headedness & soreness of Throat
& band under the Ear, & well sometimes suppurate
Decoct. of Bark & Rhus & wine & Plasters - Children
may return to their Brothers & Sisters in ^{ab.} a week from the
termination of the Redness being well washed wth warm
water & their clothes changed without infecting

Of the Measles Fever dry Cough, watery & weak
Eyes, swelling of the Eyelids, Sneezing, on the fourth
day red spots on the Face first, on the Arms next Day
sometimes a speedy Death after four days & more
& sometimes a slow decline - bleeding, cooling Medicine,
Poppy Syrup or Gutt of Trich Sp. & Lastly Physick

Infantile Fever, grow fretfull wth shiverings, Lips dry
hands hot, Pulse quick, Breath short, unwilling to stia or speak
sleep disturbed, food rejected, some Delirious many speechless
to clear the bowels & keep 'em gently open wth thin liquids

Fleetic Fever in Infants, strength decays, & Spirits lost & the body
wastes, Change air, Decoct. Cort. P. 3j mane et Vespere

Ague When the Fit is approaching Pulv. Meacanan. Gum
Afterwards Cort. P. 3j in 3j milk wth Sugar or Decoct. Cort.
Peruv. in Glyster

11th. If an Infant pass 36 hours without a motion
give a Purgative / Laxity An Emetic, Cat. ppt. & spices
The Food should be Rice, Flour & Milk, &c. Jelly or
Singlax wth wine & sugar & starch & Glyster wth Incl. Oil
a Tightness of the skin wth Clay like stools commonly fatal

For a Descent of the Fundament Cold Bathing &
a Fomentation of Oak bark & Alum. & provide a seat
that the Feet may not touch the ground while emptying
Ensigelax Give the Bark by mouth & Glyster foment
with a Decoct. Flor Chamam. or with Spiritus Camphoratus

Hardness of the Skin Warm Bathing & Injections

For Tetanus The Warm Bath, Frictions, Injections, &
Blister

Of a Difficulty of making water Warm Bathing
Frictions of the Belly, Purgatives & milk & water Injec^{tions}

Incontinence of Urine sometimes the Cold Bath
sometimes a Blister is beneficial anoint the parts

The Navel Rupture to be kept in by a Bandage

The Inguinal by a Truss at the end of the Day or

The Watery Head Its signs are Fever, Pains in the Head
sneaking putting the hands towards the head, sickness
heaviness, Impatience of light, Flushing of the cheeks
Delirium, Blindness, a slow pulse, stupor, convulsions
salivation made use of by Ung. or salomee Epizomides
vomiting, Purgings & Blisters but in vain.

Spices Diatrage Frigid

1181

*℞ Gum Tragac =ij Amyli =ss Gum Arabic =x
Sulph. Saponit. sem. Papav. alb. d. =vj sem. Sapas Melon exort
=viii; Sacch. Albi =ij m. f. Pulv. s.a.*

Elect. Spec. Composit

*℞ (ane. Flor. Malva =ijss Spermat. Coti =ijss (O. Amygd. D.
paulus rotat) (innab. Antimon =vj Gum. Geraiani =ijss
Oculi =ss. =ijss Spu. Diamb. s.c. =ijss Sy. i. Boac. Lamb.
q.v. m. f. Elect. Malle*

Pulv. Cathartic. Noft

*℞ Pulv. Jalapii (emoris Tartari d. =ij Calamel =ss
Diagred =ij Zinzib. =ij O. Caryophyll. q.t. =ij m. f. P.
Dose Di. ad Di*

(Ethiops Antimonial

*℞ Antimon. Medicin. Balcan. Argenti V. d. lss f. Ethiops
s.a. vel terendo.*

173/
Incontinentia Urinae

Bob. Styplic. Corde. & de Die Uvae Vitricole Alum. Ruspenn. Jusus Paralytic.
Bob. Epileptic. Julap. Volatil. Epispast. her. supra Os Rubic.

1741.

1 Teuria

Mist Oculi & vel vin. Diascord. Ag. Flor. & Gum. Ag. Flor. Ziv Ext. Thel.
q. i. m. Enema Enema Terebinthinat. Lil. Math. si. Sp. Terebinth.
Tinct. Castorei. Cantharid. Bol. Saponac. Infus. Lenit. Cort. P. Di.
Alum. Simp. q. vj. C. Quag. Hora sumenda.

Russian Hair Oil p. D. Sobieski
By R. Dale. Ziv Cedep. Quilla Zj. Scented & M.

Thrush Powders Borac. vel Alum. Zj. Magnes. vel Hair
Powder or Marsh. Powder Ziv Cocinel. Lix. ve. of f. Pulv.
or Chalked Zj. Balsam. or Red Ore or Yellowwine
rubbed on the gums for Thrush or White mouth sore mouth or Throat
Infant Cordial Q. S. Theriac. Com. Rj. Ag. D. W.
Rj. Tinct. Opij Zj. Tinct. Benz. or
vel Opij. pen. other sweet Gum
Bull's Br. Coriand. & Corui in Spt. Gallie vel Vin. R.

Mania a causa Hysterie

In Nosocomio Guyian exemplum fuit unius qui a Causa Hysterie
mania reddidit ad quam exhibend fuit Castor. ℞. ꝑ. ʒi Valer Di
pro dos & proventu notabile V. S. ad largam Arteriotomiam Epispast
Caputi Enema Salitit Cathartic ex Lecto Hec aliquot quibus exurg
Eucurbit Caput Julap Volat & Tinct A ꝑ. Folio ad Cenis habidi Morf
Cenures Lichenis Terrest ꝑ. ʒi Liperit N ꝑ. ʒi in capt. ʒi ꝑ.
Bath Frigid omni die ad Mensen. — — —

Essential Ear Oil ℞. Ol. Dulc. ℞. Alkanet ʒi Bulli
vel Annotto p. centes

Imperial Liniment ℞. Ad. suilla d. v. ʒi Cerat. ʒi
Cen. ꝑ. Acet. ʒi in minii ʒi v. ʒi

Maxilla Convulsio

N. S. i Jugul. Epistaxis Occiputi Solar. Nuch. R. d. Epileptici Apsa Folio

Balm of Arabia Felix & Romanaleptici Pills.
By. Santal. Flav. & Lig. & Papaya. ^{iv} 3j. Gentian. pulv. 3ij.
in Sp. Vin. Cong. ij Theriac. Emul. 3j. Sassa. 3j.
Ag. Simp. Cong. vj Tinct. Canthar. 3ij. Opium. 3j.

Nodi Vener

177/

Exemplum in Nosocomio Guyian ubi Nodi Tibia amb affecti erant & Emp
Mere et Salivat curat Emp i Cinnab Caust vel per Infusio nod denud
et raspet & Gire

Circassian Detergent Lotion to the Hamacanthatic

By Al. Dule. Rija al Taster & Al. Alcor 3j. Caput 1j. Pills
Ag. Simp. Longi centes 3j. Al. Rinzil pulv. 2j. Opia pur.
Vapo Alb. 1j. Al. Liguor. 3j. Vapo Al. 3j.
Ad ag. Bullient. addesolant.
et florea Lopro. & Hydrag.
miniat. 3j.

Olea Cariosa

Ad Exfoliend promovend Liniment & Tinct Myrror & madid Tinct Euphorb
 perforation quin medullam pstringat Tinct reddid Decoct i Lignis eulcor
 et Cauter & Monro

Mecca or Medina

1 Balm of ~~Mecca~~ Arabia Felix / ~~Hammanaleptic~~

2 Concentrated Essence of ~~Mecca~~ ^{Flou. Camom. Silv.}

Aphthecathartic Powders

Collyrium & Hair Oil

Hydrotic Pills with N^o 2

^{N^o Dialithon} Lithon triptic Pills with N^o 1

^{Decobstruent} Emmenagogue D. w. N^o 2

Detergent Lotia w N^o 1

~~Antirheumatic~~ Oils
 antirheumatic w N^o 1

~~Antirheumatic~~

Palpitatio Cordis

V.S. Epispast Much the Febrifug Mithridat Pulap Volatile Nit Lac Ammon.
Tinct a po Folio Castor Di Ter de Dio Ens Veneris Sp. Incini. —

Cosmetic Lotion a Lac. Rosar.

Dolve G. Benz. in Spiritu Vinæ adde
Ag. Rosar. L.S.

Causticum Commune Acerrimum the Basis of

— Antiprosic Ointments

Prolapsus Ani

Tell Astring Cort. & g. up Ter in Decoct Corticis & Elieck Vitriol
Suls ad proident Ani Clysm aft.

P. D. Heberden Pectoris Dolor

Tract. Opie^m an opening medicine or wth Solid Gums
a Blister, Sea or Cold Bathing &c. pro re nata

Flannel waistcoat Pleuritis Pulmonum Warm Climate
on the Skin - No Fatigue, Wine nor Spirits - Use milk
Vegetables, Farinaceous Food - For the Cough Teas made
of Liguoria Root - Rob of Elder, Currant Jelly, Raisins
a Mixture of Oil Honey & Lemon juice wth Syrup
of White Poppies, Sugar wth a few drops of Tract. Opie
Camphorata

Warm Bath Blister Colica Pituitum &c Purgative & Tract. Opie
afterwards Infus. Aromatic & amar. Cort. Peruv. &c

Emetics, laxatives - Head Ache - Leeches to the Temples
Warm Bath

- ^{Emetics at first.} In the Scarlet Fever & Malignant Morbidity
a Diarrhoea should be checked - Use Blisters
Decoctions of Cort. Peruv. with aromatics &c
with the Pectoral Decoction - Gout

The time may come when the Gout will be treated
more as an Inflammatory Distemper by Leeches
Cupping, Cold Bath, &c. Jannet Poulter &c

Præhidiles

81

℞ Rhaz. & paucul. Calomel. Senna et talia purgat postea Corio
 ve potius Chaleb. nequidamen prestat omnibus Balnea Frigid

*℞*inct. Acor. Sputa Cruenta keep quiet & cool
 v. D. cautiously No Spirits, Spices, Costive ne proor loud speaking

Fomentations - Spasms - After applied to the part
 & Poultices warm Bath - *℞*inct. Thebaic. & A. p. f. t. d. e.

Antispasmodic - Singultus - Opium & Musk

Cold Bathing - Semen Uile - Abstain from cause
 anodyne
*℞*inct. Cantharid. Rheumatismus - Blister, Friction
 chronic Cold Bath

Lotio Alumn. - Pruritus Scutis - Infus. Elleb. Alb.

Pulv. Columb. *℞*ix Pilula Emeticæ & Laxatives
 Piper long. *℞*ix

Semen & Sal Tartar Nausea - Emetic, Laxative & Aromatic.
 in a state of Effluence - Infusion of mint. *℞* *℞*inct. Op.
 weakness & urinary Oculorum morbi - Blister - Lotio Dorac
 Decort. Cort. Peruv.

Inflammation, Leeches to the Temples & Bread & Milk between.
 two pieces of fine Linnen every 8 hours touch the Eyelids
 at bed time with Lard / Orzona *℞*inct. Infus. Flor. Camem.

Blister, & Frictions Palsies & Apoplexies *℞* *℞*inct. *℞*inct. *℞*inct. *℞*inct.
 when added to Infus. Cort. Peruv. & Camem. *℞* *℞*inct. *℞*inct. *℞*inct. *℞*inct.
*℞*inct. Cantharid. - *℞*inct. Op. with caution

Urina Sabulosa

V. S. Enema Terebinthin & Laud Liquid Bob Sapon & Bhoo Bob Nephritis
 Ag Hordeat & Gum et Manna Haustus Diureticus

Loto Alum. ^{Dr. Heberden} Variūm Hemorrhagici a Compress

Marbus pedicularis Dr. opt. Vini Ziv
 — Camphor Ziv opt. Tereb. Ziv

warm Bath Coughs A cooling Regimen

Abstemiousness, Change of Air & Opiates

Tartareous pulv. — Heart Burn — Elixir of Vitriol — Blisters

Aromatic after Dinner Ventriculi Dolor Emetics, Laxatives
Anodynes

D.° Vertigo — D.° & D.° warm Bath

Blisters to Stomach ^{to Blood} Vomiting keep quiet, calm & cool
Anodyne Balsam rubbed in upon the stomach — Pulv Columb.

Gum Arab. Bloody Urine — quiet, cool & Open Body

Loto Alum. Prolapsus Uteri — Globe Pepsery

Warm Bath — Hæmor Paralytic & Hypochondriac medicines

& Friction Impor Blisters & warm bathing

relieved by sitting — Tenetsmus an opiate Glyster

Empidensewak. Thumour Tumours & Ulcers not lanced but leeches
 warm fomentation Thurgury Bougies, Anodyne Glysters
 sitting over warm water — warm Bath — Oil Injection

Ad Salivam Minuendam

Diarrhea commun Infus Lemit Bob Hemoptoid Epispast Flor Sulph
Camphor Tumefaction Fauis nonnunquam a purgat alleviet sed
inest est nam frequent exiit et praestat Epispast
Ducit tenor e Ligno quantot largior per cutem emittit Gemmison.

Ebrietas

- The Bath waters, warm aperients if there be costiveness
- Milk with Nutmeg & ginger & ginger Tea
- & Tract. Columb. with an Aromatic & Anodyne

Rhus Albus

A Decoction of Oak Bark ʒj to aq. R. injected bis die
sumat. Decoct. Cort. Peruv. bis die

Pregnancy Sickness

Gentle Physick & Fruit, Lemons & Oranges

Hæmorrhoides

Laxativ. Electuar. Ung. ex Opio Extract. mollescat. ʒj
or Al. Rucini Ung. simp. ʒij
- when violent Cataplasm of Bread & milk & Oil

Warm Bath - Hypochondria - Anodynes

Jaundice Emetics & mild Purgatives

Anodyne Flatulency - Flor. Camem. pulv. ʒij
Piper long. ʒij & Aloes ʒij
ʒ. Pulv. ve. Pilul. - sumat. Ann. nocte

8th / Ague Drops

Scatica

Eau de Lue 2
Dentifrice

Rob. Turpith. alteru Mane Fontanell. infra Genu. Coeno Tulap. Volatib.
Cuesorbit Coeno Rob. i Guajac Arthritu i Calomet. Allurantes
Sp. Terbinth & Melle. Elect. Caryocofin

It strengthens weak eyes ^{Collumium} . . . preserves the sight of Old Age

℞. Zinc. Vitriolati ℥ij Ag. Zijj Coenid ^{℥ij} S. quater dedie
Suffusions, Clouds, Bloodshot, Inflammations, dim or short sight
Films from small Pox or Measles, removes the false
appearances of mites, Spider Webs, w^h seem to float in the Air
& indicate approaching Blindness if not speedily prevented & standing.

2 Ear Oil ℞. Al 2, ℞. Alkanet ℥. built for Deafness & ringing
Snuff a few drops to be warmed in a silver teaspoon & on Cotton in the ears
had. Asari pulv. a ℥ss ad ℥ij / Fol. Asari pulv. a ℥ss ad ℥ij

3 Aphthæ cathartic ℞. Syrup ^{℥ij} Borax ℥ij give a
teaspoon full ter de die in water a teaspoon full
cold

For the Thrush or Pimples or Blisters in the Mouth
Throat, Gums or Tongue or heat in the Stomach, Heartburn

℞ij to Curcum. ℥ss for Lipsalve or with the Pectoral Cardiac & Opio

4 Hemorrhoidal Ointment ℞. Ung. Omp. ℥ij Alkanet ℥ij
ter de die applicand. to the ^{anorectal structure}

Vitriol Virid. solut. ^{Crustæ ium com. Fort. a ℥ij. ad ℥ij}
Antipsoric Lotion ℞. Hydrag. Muriat. ℥ij Salbrm ℥ij
solut. in ag. ℞. Sp. Tur ℥ij touch with a feather
all the Pimples ^{once} ~~three~~ a day ^{except} ~~except~~ ^{blues}

Antipsoric Ointment ℞. ^{Crustæ ium com. Fort. a ℥ij. ad ℥ij} ~~Crustæ ium com. Fort. a ℥ij. ad ℥ij~~ ^{Crustæ ium com. Fort. a ℥ij. ad ℥ij}
Montar. Virid. (Sal Arm. ℥ij) Pulv. Ellet. ℥ij ^{Crustæ ium com. Fort. a ℥ij. ad ℥ij}
Adeps. Mille ℥ij Sp. Tur 2. O. or ℥ij for one person
Crustæ ium com. Fort. a ℥ij ad ℥ij

Plunkett's Caustic
for Cancerous Ulcers
& Corns

Sed Virid Infantulis

186/4

Infantulis exhibendo. [Godfrey's Cordial
Pulv. Rhab. gr.ij. Ocul. 9. & q.ij. m. f. Pulv. s. de Die

5 *Antitussive* ~~Plexor~~ ^{Syrup} By. Symp. ʒj Sal Tartar ʒj Camell. ʒi.
under 5 ^{q. arab. solut. ʒij} ~~for and~~ ^{in warm water or Tea} ~~quater de die~~
for 5 years old ^{for 5 years old} ~~for~~ ^{for} the Looping Cough, spasmodic or Nervous coughs

6 *Hydropic* ~~Detonant~~ Pills By. Claterium grxxx Nyr. ʒj lxxx
Sue. Liguirit. ʒj ft. Pil. N. 20 sum. y every hour every 2 day
till Nausea other days ^{Hammer & Martie} ~~Hermetical~~ ^{during a fortnight}
For Dropsy Jaundice Gall Stones & all Bilious Diseases
Dark & yellow Complexions with the Detonant
— good from 14 to 16 & from 40 to 50.

Emmenagogue Pills By. Ferri Tartarizat. ʒj
Zincit. pulv. grxxx Nyr. ʒj ft. Pilul. N. xxx sum. iij
with the ~~Propter~~ ^{Pectoral Cordiae} ⁱⁿ ^{bis die}
~~Cordial~~ ^{Amalgamatic Tincture}

Antisorbatic Tincture By. Alum ʒj aq. ʒj Camell. griv
or Decoct. Gentian & Zinzib. ʒj

By Vermifuge & alterative for Eruptions &
Calomell grviij Sulphur antim. precip. griv
Crete & sauar. an grxxx ft. Chart. xij sumat ʒj
alterna & spare

^{colic, discharges, weakness}
 Improved Dialithon 87
 Stone & gravel, Suppressio Urinæ, & diseases of the Urinary
 8 The Lithontripticæ. B. Bals. Capivi $\mathfrak{z}\mathfrak{j}$ M. Nitri $\mathfrak{z}\mathfrak{j}$
Acid. Muriaticæ $\mathfrak{z}\mathfrak{j}$ Tinct. Cantharid. $\mathfrak{z}\mathfrak{j}$ Aq. Rosæ $\mathfrak{z}\mathfrak{j}$ Cocineæ
Sum. 1 paper spoon full ter de die in peppermint Tea sweetened

^{Homocathartica}
 Improved Homocathartica Anctura Hydragryi muriate $\mathfrak{z}\mathfrak{j}$
Decoctio Gentianæ & Zerbib. $\mathfrak{z}\mathfrak{j}$ M. Nitri $\mathfrak{z}\mathfrak{j}$ S. Guind
^{Anticorbutic} For Wile, Cancer, Scurvy, Eruptions & Impurities $\mathfrak{z}\mathfrak{j}$
of Debility ^{after fever - a bad Disease & Indigestions} from various practices the salts of Youth
 may be taken twice a day in Sugar or in the Child's meat
 Guttij for one year Gutt is for 2 Wks & so on the No. of Drops
 to be double their Age at 10 a small teaspoon full at 15 &
 above a paper spoon full in peppermint Tea sweetened
 with Lac Rosarum for Pimples dark & yellow complexion

Vermifuge Confit Calomel $\mathfrak{z}\mathfrak{j}$ Three Evenings following
after ram. $\mathfrak{z}\mathfrak{j}$ & Gallap $\mathfrak{z}\mathfrak{j}$ ft. Confit for scab or scab or scab or scab
from 6 to 8 grij & to 12 griv cum Vaccar. & Flor Nitri I. S.

Anderson's Pills Rg. Aloes $\mathfrak{z}\mathfrak{j}$ cap. $\mathfrak{z}\mathfrak{j}$ vel sine Tinctib $\mathfrak{z}\mathfrak{j}$

Imperial or Briton Oil Rg. N. Barbado. $\mathfrak{z}\mathfrak{j}$ M. Tereb. $\mathfrak{z}\mathfrak{j}$
Al. Quini Al. Lin. $\mathfrak{z}\mathfrak{j}$ Internally & externally

Morbilli I. S. per medicine pro re nata

Surditas

Ulcus in Meatus Audit. si adsit optime & Bals. Berus mundet g.^{ij} et sanat
 Sharp. O. Amygd. et Tinct. Castor instill in aur. ad Dias Aliquot
 tum. 3 Ag. Hordeat. modo Injunct. ablot. Epispast. Nuch. Occip. pone. Aur.
 Tinct. Sacra Infus. Caralyti Tinct. Castor. Bob. Epilept. Julap. Vol.

~~Improved~~ Balsam of Honey

for a Child under 10. Ann. ter die
 Cochlear. par. 5 under 10
 for under 14 a spoonfull
 under 20

Tinct. Opii ʒij - Symplic. Ten. ʒxv

Op. Tinct. Balsam. Tolu ʒij
 as Dispensatory
 or Duchan

~~Improved~~ Cordial Balsam of ^{mecca} Gilead

Op.

Solomon's

Op. ve. Solutio ʒ. Arabic. ʒv
 Tinct. Opii ʒij Louinel ʒij

Syrup. Alb. ʒij Ather. Vitae ʒij

Tinct. Opii ʒij Louinel ʒij

Ag. Simp. ʒv

V. Syrup. et Bals.

Toluit. ʒv

Tinct. Opii ʒij

Op. ve. Solutio ʒ. Arabic. ʒv

Tinct. Opii ʒij Louinel ʒij

Tinct. Opii ʒij Louinel ʒij

Tinct. Opii ʒij Louinel ʒij

Tinct. Opii ʒij Louinel ʒij

Tinct. Opii ʒij Louinel ʒij

Tinct. Opii ʒij Louinel ʒij

Tinct. Opii ʒij Louinel ʒij

Tinct. Opii ʒij Louinel ʒij

Tinct. Opii ʒij Louinel ʒij

Tinct. Opii ʒij Louinel ʒij

Tinct. Opii ʒij Louinel ʒij

Tinct. Opii ʒij Louinel ʒij

Tinct. Opii ʒij Louinel ʒij

Tinct. Opii ʒij Louinel ʒij

Tinct. Opii ʒij Louinel ʒij

Tinct. Opii ʒij Louinel ʒij

Tinct. Opii ʒij Louinel ʒij

Tinct. Opii ʒij Louinel ʒij

Tinct. Opii ʒij Louinel ʒij

Tinct. Opii ʒij Louinel ʒij

Syrup. Alb. Ten.

Syrup. Alb. ʒij

Syrup. Alb. ʒij

Syrup. Alb. ʒij

Syrup. Alb. ʒij

Syrup. Alb. ʒij

Syrup. Alb. ʒij

Syrup. Alb. ʒij

Syrup. Alb. ʒij

Syrup. Alb. ʒij

Syrup. Alb. ʒij

Syrup. Alb. ʒij

Syrup. Alb. ʒij

Syrup. Alb. ʒij

Syrup. Alb. ʒij

Syrup. Alb. ʒij

Syrup. Alb. ʒij

Syrup. Alb. ʒij

Syrup. Alb. ʒij

Syrup. Alb. ʒij

Syrup. Alb. ʒij

Detergent. cosmetic

Beautifying lotion or Lotion Rosarum

Op. Sapo Alb. ʒij Adaph. Quill. ʒij

Amygdal. Dulc. Blanch ʒij

tunde simul & adde Ag. Rosar. ʒv in fl. Lotio

Op. H. Tartar. ʒij

H. Dulc. ʒij

Ag. Rosar. ʒv

Ag. Rosar. ʒv

Ag. Rosar. ʒv

Ag. Rosar. ʒv

Ag. Rosar. ʒv

Ag. Rosar. ʒv

Ag. Rosar. ʒv

Ag. Rosar. ʒv

Ag. Rosar. ʒv

Ag. Rosar. ʒv

Ag. Rosar. ʒv

Ag. Rosar. ʒv

Ag. Rosar. ʒv

Ag. Rosar. ʒv

Dentifrice Alum Com. ʒij

Marchal ʒij Rosepink ʒij Crem. Tart. ʒij

whitening ʒij Pulv. Red ʒij Pulv. ʒij vel

al. Rhodi ʒij

Tuss vulgo Chin: Cough diet

V. S. Epispast Sy. Milleped Troac. ad 3^o vel 4^o dies

Trochisci ad Catarrham

R Gum Arabacis ℥ij solva coquendo in Aq Font llij tum superaff
Rad Althea minutim incis ℥viij stent simul loco in calido
ad Dus aliquot tum cola et adde Album Ovor N^o 50 Saab
Albiss llys cog ad spiritit et a pulc Turbais Tabub fermentis

Pilul de Myrac secund Sydenh q. ℥ij vel viij

D Burlos non Phibolom Surgat ve Emetic exhib. nisi sequentia

R Cantharid Camphorid ad 3i Ext Corti ℥ij in cap. q. 8
3^o vel 4^o quaq hora non in Rheum sed Tuss pitant prodest

Antirheumatic Embrication
Amaleptic Tinct. Cantharid: at Duchan
Op. R. Olive. Polyp. Cl. p. a. 3viij Couixel
Tinct. Santal. 3ii a Dispensatory
- For Palsy, Rheumatism a viscidia 3ii Fructione 3ii

Phibolom Drops Dr Hychang Meniat. 3ii

<u>3i</u> <u>Tincture</u> <u>for the Feet</u> <u>the gums</u>	<u>Asiatic. Tartarizat. 3ii</u>
<u>Tinct. Santal. 3ii</u>	<u>Ag. 3ii</u> <u>Sp. Gall. 3i</u>
<u>Tinct. Myrac 3ii</u> <u>Sp. V. Gallie. 3viij</u>	<u>Sumat. gutt xvi</u> <u>3ii</u>
<u>Sp. V. Ten. 3ii</u> <u>Sp. V. Ten. 2. 3ii</u>	<u>Solutio in Sp. Vin 3ii</u>
<u>Ag. Simp 3viij</u> <u>Ag. Simp 3viij</u>	

Collyrium - Camphor 3ii Quercule 3ii

- Vel. Arabic. 3i Boax 3ii Sal. Arn. 3ii Borax a 3ii
Ag. Simp. 3viij Rosar. 3viij Ag. Rosar. 3viij
Rosar. 3ii 2. 3ii

Vulnera Bombard

191

V. A. Enema comm Jusus Lenit Decoct Traumatico Nit Lilub Capifre
Bolus Febrifug Dilatet Vulnus

The Imperial Snuff & Oil (~~The Oil only for sore Ears~~) Eyes,
Pain of the mouth, Tongue, Lips, Stupor, Scurviness, Scurf
& all Disorders of the Head, Stoppages, Newours, Bleeds

Op. Ol. Ol. secund. Op.
Rad. Alkanet. ʒj
Culli ~~or~~ wanted

Op. Tol. Arripule. ʒss
— Nuxom — ʒss
or ʒss Pulvis Sternutatorius

— Apply the Oil mane or before & Snuff alternately

~~Medicinal~~ Oil for Hair Baldness, colour &

It is found necessary to moisten the Hair while dressing
a Turkish complexion in strength growth & colour
& prevents Baldness & turning grey to the last period
also restores Hair on Bald Places it serves instead of Pomatum
& prevents itching from Dressing Iron, & gives a gloss to
Artificial Hair

Op. Ol. secund. Op. Rad. Alkanet. ʒj
washed in Oil. Culli m
Lipalve & Long Simp. ʒss Rad. Alkanet. ʒj or Culli. C. O.

Medicinal Waters with Sulphur, magnesia & chalk

Hæmorrhoidal Ung. Op. Ung. Simp. ʒss Rad. Alkanet. ʒj or Culli. C. O.

• with V

192/

White Trveling

Emetice Turpeth Ung More parti affect Foment Cathartic
Pill Alterant

Colouring Melt Sugar Alb. D^j in a Bell metal
Kettle stir to a thick take ^{it off} & add
Spt. Gallii. Guernsey proof D^j let it boil
(Cook it up for use when cold) this will colour
8 or 10 Gallons of Brandy

— say sugar D^j for an Hogshead —

Antirheumatic Embraceation or Liniment

R. Oliv. Secund. Zij Ag. ammon. Zij ^{with a feather}
Tinct. Santal Zij ^{to be applied after Friction}
~~water~~ spread on Flannel & Flannel on the part
for Rheumatism, Sciatica, Lumbago, ^{injury} ~~injury~~, Sore throat
Numbness, Palsy — the Crown of the Head for Sits

Pile Liniment Buchanan & Alkanet

R. Oliv. 2 Zij Cera Zij

^{with It} Tincture for the Teeth Alums ^{X3} ~~survy on~~
R. Alum. Com. Zij solut. in ag. D^j adde Guineel ℥ss

Emp. Dissections or Tumor Plaster

R. Empr. e Cyrenis de ap. Nij part. Ag.

For Cancerous Ulcers...

For rheumatic Ulcers & Evil Ung.

R. Basilic. ℥ij

or a Caustic Liniment
Cancerum excoriation

Carate of yellow Mercur

198

Of Fevers in general

In every Fever there is in the beginning a sensation of Cold called *Horripulatio* attended with a quick Pulse succeeded by an increased Heat with Prostration of Strength.

Those who imagine that a quick Pulse alone with a heat greater than natural indicate the presence of a Fever are mistaken. ^{or} Symptoms may be considered under 3 different ^{ages} Stages.

Stage 1. Lapsitude, Weakness, *Horripulatio*, rigor, Tremor, Paleness of the Extremities, difficult Breathing, Anxiety of the Pæcordia, Nausea, Vomiting, small quick Pulse Prostration of Strength, Urine crude & thin.

Stage 2. These Symptoms are succeeded by Heat the Paleness disappears Thirst is considerable with Headach.

Stage 3. These Symptoms are relieved by a gentle sweat the Pulse becomes more full & soft & Urine deposits a ^{sediment}.

In some Fevers the Symptoms of Cold are so transitory as not to be obvious, there are other Symptoms as

Vomiting, Diarrhoea, Delirium, Coma, Watchings, Convulsions, Symptomatical & profuse Sweatings.

The Causes of Fevers are external Cold with Moisture if suddenly applied which by stopping Perspiration, & occasioning a retention of other secretions stimulate from their Airiness & excite fever. Miasmata & Putrid

Effluvia in the Atmosphere / Putrid Sordes collected in the Stomach / Affections of the Mind by stopping Perspiration & favouring the retropulsion of Crisp tions. The external Application of corrosive Caustick Substances

(9th) Whatever wounds or occasions Lacerations of any kind
 The Proximate cause of Fever is a Constriction on the Surface
 of the Body of Spasm of the Nervous kind produced by
 Stimulus occasioning a resistance to a free Circulation
 The Cold & other Symptoms of weakness in Fevers arise
 from an impeded Circulation on the Surface of the Body
 The Quick Pulse & Anxiety of the Precordia are owing to
 an Accumulation of Blood about the Heart and the increased
 Heat and Action of the Muscles are owing to the Heart in some
 measure getting the better of the former resistance & therefore
 from the blood flowing with more velocity & likewise from
 its tending somewhat to Anisomy more Heat is generated
 The Pain of the Head & Back is owing to spasmodic
 Contractions of the small Vessels & nervous fibrille of
 these parts The first Indication in the Cure of Fevers
 is to evacuate from the Prima Via to remove & clear
 collected Mucus & promote perspiration

No. 1. ℞ Rad. Ipecacuan. pulv. ʒj
 Tart. Emet ——— Gr. i
 Aq. menth. Vulgar. Simp. ℞ F. Haust. vel

No. 2. ℞ Vin. Ipecacuan. ʒx
 Syrup. Violar. ʒi ℞ F. Haust.

For Costiveness producing Irritation from an accum-
 ulation of Putrid Masses — The following

No. 3. ℞ Decoct. Commun. ʒviii
 Sal. Glauber. ——— ʒvi
 A. Olivar. ——— ʒj ℞ F. Enema

No. 4. ℞ Aq. Tepid. ℞ss
 Sapon. Moll. ʒss ℞ F. Enema

No. 5. R. Sal. Cathart. Glauber Zvi ad Zj

Marmæ Zss solve in
Ag. Font. Zviij cap. Zjss pro Haust rep: donec
alvus solvetur.

No. 6. R. Crem. Tartar. Zij solve in Ag. Theriac Zij
adde Marmæ Zij et cola per vires sumend.

If there is a quick full Pulse, great Headach, Highbreathing,
Inflammation of the Eyes, with approaching Delirium V. S.
a Zij ad Zviij pro re nata

The second Indication in the Cure of Fevers is to promote
Perspiration by the following

No. 7. R. Tart. Emet. gr. i
Ag. Menth. vulgar. Simp. Zjss
Syrup. Violar. Zss A. Haust.

No. 8. R. Tart. Emet. gr. j
Camphor. gr. v
Cons. Rosar. L. S. A. Bolus

No. 9. R. Tart. Emet. gr. i
Magnes. Alb. gr. x T. Yulv.

To avoid the Emetic power of Tartar Emet.
To avoid ~~vomiting~~ make use of the following

No. 10. R. Antim. crud. Zij
Nitre Z in

Separation in pulverem trita miscantur deinde gradatim
inijciatur mixtura in Crucibulum leviter candens materia
ab igne remota Ag. Bull: abluatur et in pulverem subtiliss
innumeduat

No. 11. R. Pulv. Ult sup. D. ad Zss
Cons. Rosar. L. S. A. Bolus

196/ Dr James's Powder is prepared by calcining crude Antimony with shavings of Heart of horn & may be had recourse to. If the Antimonials purge gently & much & better the Sweat is to be kept up by the following Medicines

No. 12. R Sal Absinth. ℥i

Succ. Limon. ℥ss

Aq. Pur. ℥ss

Hexeter. & p. Symp. Ciori aa ℥i T. Haustus
Quarta quaque hora sumend. vel pro re nata
If Anxiety continues the warm Cordial & Antispasmodic Medicines must be had recourse to

No. 13. R Castor gr. xv. Ciori gr. v

Sal C. C. gr. vij. Cons. Rosar. ℥ss

Syrup Tinfib 2. S. T. Bolus Quarta & quinta
quaque hora sumend. Super Bibend. Julap. & sequent. ℥i & ℥ij

No. 14. R Julep & Camphora & muschio aa ℥iv

Spt. Volat. Aromat. Gutt. xxv M

Uta a Diarrhoea

No. 15. R Confect. Cardiac. ℥i

Otheriaca Androm. gr. xv

Puls. Rad. Contrayerv. ℥ss

Ol. Cinnam. Gutt. i

Syrup. Ciori 2. S. T. Bolus

Sexta quaque hora sumend.

No. 16. R Terra Japon. ℥ij

Aq. Cinnam. Simp ℥ij

Syrup Ciori ℥i T. Haustus

No. 17. R Electuar. ex Cord. ℥ss Rad. Serpent. & Virgin. ℥ij
coq. ex Aq. Mont. 2. S. ad colatur. ℥vij adde Spt. Cinnam.
℥i & M. Coihlear. ij sexta quaque hora sumend.

No. 18. *R. Cort. Quercus granator.*

Rad. Tormentill. aa ℥i Contus.

Coq. in Aq. Font. f. lacte vacuin. aa ℥ss
ad consumpt. ℥ss. ℥. Enema.

If Symptomatical Petechiae appear use the following

No. 19. *R. Pulv. Cort. Peru. ℥i*

Aq. Cinnam. Simp. — Sp. aa ℥i

Syrup. ex succo Limon. ℥ij ℥. Haustus

No. 20. *R. Cort. Peru. ℥i coq. in Aq. Font. viij ad viij*
Coctlear. singulis add. Sp. Vitriol Ten. qtt. vi. ℥ss

Profuse Sweatings if not critical & affording ^{relief} are injurious
and are to be relieved by No. 19. & No. 20. addend. Alum. When a ℥ij
Watchings in Fevers is frequently owing to slight ^{ad ℥iv}
Inflammations of the Brain & is to be moderated by keeping the
Body quiet by excluding Light and all external Impressions
from the Patient by the Use of sedative Medicines as

No. 21. *R. Sal. Sedativ. Homberg. ℥ss ℥i*
Cons. Rosar. ℥ss. ℥. Bolus

No. 22. *R. Aq. Font. ℥ss Cinnam. Alexet. Sp. aa ℥i*
Castor ℥ss Consol. Democratica ℥ij Syrup. Croci ℥i
M. ℥. Haustus septa quaque Hora Sumend.

A Coma or constant Drowsiness is to be relieved by Leeches applied
to the temples Sinapisms & Blisters.

A Delirium when it proceeds from Inflammation Leeches & ℥. ss.
when from weakness No. 13. & 14. are to be employed

No. 23. *R. Mix. Panis Alb ℥ss Lact. vacuin ℥vi coq.*
ad debitam consisten. sub finem adde Pulv. Sinap ℥i m. ℥.
Cataplasma pedibus applicand. post duodecim horas removend.

98/ No. 24. *Sem. Sinap. Micranis recent aa. j. q.* —
Act. Opt. Le. A. Cataplasma —

In Delirium with great Nausea Vomiting should be encouraged
And Opiates in Delirium without Stupor are attended th with advantage
Convulsions & Subsultus Tendinum indicate extreme
weakness and are to be removed by Muck Castor & Sassafras
Stimulating & Cordial Medicines Madeira Port wine
and a Blister to the Head The Diet of Patients in fevers
should be light & easy of Digestion & when the Fever is gone
Strength is to be acquired by gentle & moderate Exercise
The Peruvian Bark & other Tonic Medicines —

Of The Acute Inflammatory Fever

It first shews itself by Lassitude & Oppression weakness
Cold & Heat alternately succeeding each other Tremors
Universal Pain especially in the Back Shoulders
& Head then a most intense & burning Heat a Thirst
unextinguishable Inflammation of the Eyes Redness
& Swelling of the Throat Nausea Vomiting Inquietude
Anxiety Pulse full & strong Skin dry The Urine red
and sometimes pale The Tongue covered over with a rough
dry Brownish & Blackish Crust The Blood from
the Arm showing the Inflammatory Crust Difficult
Breathing Costiveness Watchful Delirium Stupor
Coma Subsultus Tendinum Hiccups Involuntary
discharge of Sweat & Urine succeeded by Death
The first Indication is to weaken the force of the Inflammation
No. 1. according to the Strength of the Patient suddenly
& from a large Dose. If the Nausea is considerable
No. 1. ought to be given The Diaphoretic Course No. 2.
should be pursued & Costiveness to be avoided by No. 3.

Of The Slow Nervous Fever

(99)

This Fever shews itself by Loathing all kinds of food, Slight colicits, transitory flushing of the face, Universal Lassitude, Low Spirits, Headach & Drowsiness, Nausea and Vomiting, Heat & Headach more violent, Pulse more frequent but quicker, Breathing less free, Pain along the Coronary Suture, Cold & Stupor in the Back part of the Head, frequently succeeded by Delirium, The Patient for 5 or 6 days remains pale, Browy, & Restless, Pulse frequent unequal, sometimes intermittent, Urine like Mrey with Sediment, a white dry mucous covers the Tongue, and there is little or no Thirst, About the Seventh day the Giddiness and Pain of the Head encreases, Firmities Animum Vomiting, Delirium on sitting up, Delirium, or rather confused Dreams and Subsultus Tendinum, 9, 10, & 11, days General Sweats, the Strength frequently exhausted by violent Diarrhoea, while a moderate one sometimes carries off the Delirium, When the Strength is exhausted the Pulse is very quick and may be said to tremble & flutter rather than beat, The Sick become Incoherent and Stupid, The Delirium terminates in a profound Coma, & that in Death.

If the Deafness which occurs at the end of the Fever end in an Improstume of the ear it is a good sign, This fever attacks people of weak nerves, lax habit of Body, & poor thin blood who have suffered great Evacuations

Immoderate Watchings Study or Fatigue

In the Cure of this fever violent Evacuations are to be avoided The first step is to cleanse the primæ Viæ by a gentle Puke

No. 26. By Pulv. Precipuan. Gr x

Cons. Racar. Lib. ʒ Boles

If the Vomit does not direct its course by the Intestines the following is frequently useful

No. 27.

R Nanna \mathfrak{z} i solve in Aq. Font. \mathfrak{z} vi
 adde Ninit. Rhei \mathfrak{z} i cap. coch \mathfrak{ij} & rep.
 donec albus solvetur

Oysters of Milk Sugar & Salt may be injected every
 second Day if nature prompts to ^{be} stool, the Cordial
 and Diaphoretic Medicines are to ^{be} had recourse to

No. 28. *R* Pulv Contrayerva Comp. \mathfrak{gr} . xv
 Cor. Anglian. \mathfrak{gr} \mathfrak{ij} Conf. Cardiac. \mathfrak{z} i
 Syrup. Cori Del. \mathfrak{ss} Bolus cap. quarta & quinta
 quaque hora superbibend. Haust. Sequent.

No. 29. *R* Sal C. C. \mathfrak{ss} Succ. Lemon. \mathfrak{z} ij
 Aq. Alexit. Simp. \mathfrak{z} ij M. & Haust.

For Confusion & Dejection of Spirits Galbanum & Camphor
 and Blisters applied to the Neck & Back of the Head

In the Subcaltus Tendinorum Musk is to be used No. 25.

For Ordinary Drink Wine Whey & now & then as the
 Patients strength requires two or three glasses of Port
 For Laborious Breathing and Oppression of the Precordia
 Blisters to be applied to the Arms & Legs which likewise
 encrease the Vis Vita Miliary Eruptions attended
 with profuse sweatings are to be moderated by Wine & Port

No. 30. *R* Cort. Peruv. \mathfrak{Op} . \mathfrak{ss} Julv. \mathfrak{z} ij Cort. Aurant. \mathfrak{z} ij
 Rad. serpent. Virgin. \mathfrak{z} ij

Cor. Anglic. \mathfrak{z} ij Couinell. \mathfrak{z} ij
 Sp. Vin. Gallie. \mathfrak{ss} Infus. clausa per dies aliquot
 tres saltem quatuor & deinde colatur

\mathfrak{z} i ad \mathfrak{z} ij capiend. Sextavel octava quaque hora

A Diarrhea is to be moderated by opiates & other. Androm.

If Evident Remissions appear the Bark is to be thrown
 in considerable Quantity the Critical Discharge is
 generally by Salivation

101

Of the Putrid Malignant Hospital or
Jail Fever.

Cold & Heat alternately succeed but the Intensity of Heat is great in proportion to the Cold, Pulse tense small frequent & unequal pulsations of the Carotid & temporal Arteries great prostration of Strength Weakness and dejection of Spirits nausea & vomiting of black Bile Headach Tremulous Aurium difficult Breathing frequent sighs Pain in the Stomach & Back a difficulty in lying in any one posture Tremor Subsultus Tendinum the Tongue Black & dry the Lips & Teeth covered with a black putrid Sordes the Blood so dissolved as not to coagulate Thirst considerable a bitter & disagreeable taste in the Mouth the Urine at first pale afterwards high coloured and depositing a Sediment like the Grounds of Coffee the Sweats profuse & fetid Stools fetid thickish & bloody Small lived spots appear like Ecthymas sometimes petechiae and when broader & of a darker colour called Vitæ hæmorrhages from different parts of the Body Apthæ gangrenous Ulcerations in the Throat hiccup Death.

The Causes are Improper food moist & warm Air Exhaled from corrupted animal & vegetable Substances or Infectious Miasmata. In this disease violent Evacuations are to be avoided In the beginning an Emetic is proper

No. 31. Rad. Serpent. Virgin. contus. Cort. Peruv. pulv. Coq. in Aq. Font. Bi addimidium colaturæ adde Aq. limam. aa ʒij
Zij Symplic. Cort. Aurant. Zij M. Cap. Coch. ij quarta quæque hora

No. 32. Pulv. Cort. Peruv. pulv. Zij Flav. Aurant. Dissolv. Zij Rad. Serpent. Virgin. Zij Lic. Anglic. Div. in Nett. Zij A. pt. lin. Gall. ʒxxx A. M. Dof. ʒi ad ʒi stave 6 taguq
Sint. Rosar. Valum Wheel subinde copiose bibend. Loral

Intermittent Fevers are considered as Autumnal
 or Vernal — The Causes are Cold & Moisture Miasmata
 Contagion & Sudden Affections of the mind such as fear &c.
 The proximate Cause is a Spasmodic Contraction on the Surface
 of the Body The Tertian Fever is the gentlest & shortest
 The Quartan especially the Autumnal is the most difficult
 of cure frequently not going away until the Spring —
 The Miltidic is of long Duration & very changeable into
 the Continued — Nature cures by taking off the Spasm
 and provoking to sweat we assist her by the Use of diluting
 Diaphoretick & Antispasmodic Medicines as the Saline
 Draughts in their State of Effervescence as No. 12. the
 Pediluvium & Semicupium. If there are Symptoms
 of Inflammation & S. Vomits in the beginning are generally
 necessary to evacuate Bordes & to dispose to sweat No. 1. 2.
 Clysters of Milk & Sugar or No. 3. 4. 5. & followed by Opium
 to take off the tendency to Spasm are to be administered
 After the sweating & it care should be taken to dry the
 Body with warm Flannel some hours before the cold
 & it is expected a sweat should be excited by the Saline
 Draught decoction of Sarsaparilla & the warm Bath
 The second means of preventing the return is by giving
 the Peruvian Bark. but before its use it is necessary
 to premise an Emetic. Sometimes a gentle Stomachic
 No. 33. R. Ag. Cinnam. Ten. Alexeter Simp. a Jij
 Pulv. Cort Peruv. Syrup. e Cort. Aurant. ʒss ʒij
 The above may be taken during the Interval to be
 repeated frequently about the time the Fit is expected
 a few drops of Tinct. thebaic. addend. if the Bark purges
 if the Skin is yellow & Abdomen swelled use the following
 After the Fits are gone No. 34. Pulv Cort. Peruv. ʒss
 the Bark with Chalybeates ʒss ʒij
 proper Exercise to be used ʒss ʒij
 to prevent a Relapse ʒss ʒij
 Elect. Cap. mollem Nuc. Moschata quaque hora

Of Inflammation in general

(108)

In every Inflammation of a particular part there is a Swelling Redness Pain for the most part a shining appearance the Pulse is quickened there is a considerable Thirst pulsation in the part affected and the Blood when drawn gives the Inflammatory crust The Causes of Topical Inflammations arise from external Injuries & sometimes from acrimony filling on particular parts from obstructed excretions

Every Inflammation must be terminated either by resolution Suppuration or Gangrene the most desirable termination is by resolution for this purpose we must diminish the the Acute Impetus by V.S. from a large Orifice & sweat to be promoted by small Doses of Tartar Emetic No. 7. to be succeeded by the Saline Draughts No. 12. If the Patient be costive No. 3. 4. 5. 6. are to be used the Application of Astringents & Sedatives ^{recome} proper repellents

No. 35. R. Muc. Pan. Lil. coq. cum lacte ad Consistent. Cataplasma. & adde Ru. Saturn. ʒss part. dolent. applicans

No. 36. R. Tament. c. cilut. Di Tarin. Aven. ʒss
O. Oliv. ʒij M. F. Cataplasma

No. 37. R. Aeti acerrimi Di coq. ad consistent. idoneam cum ʒss. Tarin. Avenae. et adde O. Oliv. ʒvi

If the Evacuations produced have weakened the Patient Hal C.C. Castor Contrayev. & the Aeto be pursued If the Symptoms of Inflammation do not cease Suppuration must be produced by the following

No. 38. R. Muc. Pan. recent. ʒ. V. Lact. & Ru. ʒss. coq. ad idoneam consistent. adde O. Oliv. ʒij & ʒss Cataplasma.

No. 39. R. Rad. Lil. alb. Lep. Caricuum aa ʒi Pulv. Sem. Lin. ʒi coq. in aq. Tent. ʒss. ad mollitudinem idoneam & adde Ru. Burgund. ʒi

(101) No. 40. R. Al. Amygdol. sp. Sal. ammon. aa Zi M. S. ^{Liniment.}

The symptoms preceding Suppuration are acute pain a general affection Shiverings & Cold Fits — there is danger of Mortification when the pain of the Part suddenly abates & the Tumor assumes a brownish Colour the skin about it is loose the impression of the Finger is left it loses all sense & becomes livid. Pustules appear which contain a yellowish Ichor and about their Base they are black the skin & parts under it are corrupted black cold deprived of sense & converted into a fetid gangrenous Jaries the Gangrene spreads and affects the neighbouring parts cold sweats appear the pulse is small & quick hieup succeeded by Death. A Gangrene of internal parts is seldom cured. Of external parts if arising from an Internal Cause is attended with more danger if the Patient be Young & Healthy there is less danger if Old & feeble the contrary To prevent its spreading Scarification must be employed & the following

No. 41. R. Sol. trotoresuat. Absynth. m. Sicut.
Alor. Chamem. suat aa Zi Aq. Font. Rvi

Cog paululum et cola
ad Rvi ex decort. ut sup. adde R. Trebinth. et Tinct. Myrrh.
Zi partibus dolentibus applicandis & fomentat.

The Patient is to take the Bark in large Quantities in form of Decoction with the Tinct. added to it & likewise in substance his strength is to be supported by Cordials & Wine

Of a Phrenitis

(105)

A Phrenitis is an acute inflammatory Fever arising from an Inflammation of the Brain or its Membranes attended with Headach an early Delirium with fierceness and Inflammation of the Eyes the general causes of Inflammation may give rise ^{to it} the cure consists in early evacuations by Bleeding & antiphlogistic purgatives

No. 42. R Pulv. Camphor. ℥i
Sal. Sedat. Homberg. Sal. Nitri aa ℥ss
Gum. Arabie ℥i tinctis simul adde
Aq. Cinnamon. Simp. ℥vi Siquis e Cort. Aurant. ℥ss
℞ Emulsio ℥i ve ℥ij omnia quarta Lora Sumend.

If the Symptoms do not give way Blisters are to be applied to the Head & Sinapisms to the Feet
In some Cases it may be necessary ~~to use~~ use Opiates

Of the Inflammatory Sore Throat

In this Disease the Pharynx Tonsils Uvula & Velum pendulum Palati are frequently Inflamed with a Pain and Difficulty of Swallowing, the Breathing affected, with Fever. For a Resolution of the Inflammation & either Topical or general And the Use of Gargarisms are proper

No. 43. R Decoct. Pectoral. ℥viij
Tinct. Rosar. ℥ij Mel Rosar. ℥i M.

No. 44. R ℞ Amygdal. ℥ss Camphor. pulv. ℥ss
℞ Sal. Ammon. cum calce viv. ℥ss M. T. Limiment.
Blisters are frequently proper — extēne applicand.

The Sudorific & Antimonial Course No. 7, 8, 9, 10, 11, 12 ought to be pursued the general cure of Inflammation here to be attended to as well as in the foregoing Case above

(106) Of the Putrid Malignant or Ulcerated Sore Throat
The Inflammation is here more of the Erysipelatous kind
attended with Ulcerations & Symptoms of a Putrid Fever.
The Cure is performed by the internal Use of Cordial Stimulating
& antiseptic Substances An Emetic in the beginning is proper

No. 45. R. Laricarum. ℥i Rad. Contrayerv. pulv. ℥ss
Coq. in ag. Mont. 2℔. ad coland. ℥xij ad deg. Aet. Opt. ℥i M. F. ^{Gargarism.}

No. 46. R. Ag. Hordeat. ℥viij Aet. Vin. All. ℥i
Mel Rosae. ℥ss Tinct. Myrrh. ℥ij
Tinct. Aromat ℥i M. F. Gargarisma Antisepticu.

It is frequently necessary to apply Blisters to the Throat
And the same method of Cure as in the Putrid Fever No. 31. 32

Of the Peripneumony

The Peripneumony is an Inflammation of the Lungs with
acute Fever Difficult Breathing pain in the Breast cough
& a soft Pulse The most desirable method of terminating this
Disease is by Resolution as V. S. repeated according to the
Violence of the Symptoms Blisters applied externally
& antiphlogistic purgatives No. 5. 6. or Emollient Glysters No. 3. 4.
And to assist Nature in promoting Expectoration & following

No. 47. R. Sperm. Ceti ℥i (Mucilag. G. Arab. solut)
Nitri gr. v. Ag. Menth. Simp. ℥ij
Syrup Balsam. ℥i F. Haust.

Decoct. Pectoral. ad libitum Bibend. If the Expectoration
is copious of a Yellow colour & streaked with blood tis a good
Sign also a gentle sweat with a Sediment in & Urine
Steam of warm water exvaporate into the Lungs will frequently
afford Relief If the Inflammation suppurates internally
& Phthisis Pulmonalis is frequently produced If on the
the more external parts the Matter communicating with
with the external cavity an Empyema is produced

117/

The Cure is performed by gentle Emetics & stomachic purgatives
No. 48. R. Aq. Fort. ℥i Sal. C.C. ℥i Sperm. cati ℥ss
Syrup Balsam ℥i M. F. Haust. 4 to quaque horae sumend.

No. 49. R. Lact. Ammon ℥i Aq. Alexit. Simp. ℥v
Sperm. cati (solut. q. Arabi.) ℥i Sal. C.C. ℥ss
Oxymel. Scillitic. ℥ss M. F. Haustus

No. 50. R. Aq. Ammon. Sen. ℥ss M. Benzoin. Gr. v
Vin. Iperacuan. Syrup Croia ℥i M. F. Haust.

Blisters here are frequently necessary. And Opiates if
the Cough is urgent. And if any disposition to ~~edematous~~ ^{edematous}
Swellings the Millepedes & other mild Diuretics to be given.

No. 51. R. Aet. Scillitic. ℥i Aq. Menth. Vulgar. ℥v
Syrup. Tinzit. ℥i M. Mixtura Cach. j pro Dosi

The Habit of Body to be afterward strengthened by Bark
& Chalybeates

Of A Pleurisy

An Inflammation of the Pleura with acute Fever & pain in
side difficult & painfull Respiration the Pulse hard & in
beginning a dry Cough. The Inflammation soon spreads on the
surface of the Lung. The Cure to be attempted by resolving
as in the Peripneumony Bleeding Blisters Antiphlogis-
tic purgatives Antimonial Saline Draughts & expectorating
Medicines No. 47. are to be employed. If the Pericardium
is affected with Inflammation the Pain is less acute & seated
deeper the Pulse Intermittent & palpitation is frequent.
If the Diaphragm is inflamed the Disease is called Paraphrenia
the Pain is more acute & chiefly on the Back and Ribs & lower
Vertebrae attended with Hiccup Delirium & Convulsions.
The same treatment as in the Pleurisy becomes necessary
And if the Patient in either Disease sinks No. 15. 48. are
to be had recourse to.

Of A Pulmonary Consumption

This Disease is a wasting of the Body hectic Fever Cough & Purulent Spitting from an Ulcer of the Lungs Those of a narrow Chest high Shoulders & long Neck are most subject to it It is frequently hereditary & arises from a Scrophulous Habit likewise follows Hemoptoe & Catarrhs Peripneumony & Pleurisy It begins with a Cough encreased Heat Pain of the Breast Oppression in breathing especially on the least Motion Spitting considerable & frequently bloody Salt taste in the Mouth Prostration of Strength & Appetite Nausea & Vomiting after Meals pulse quick & small Spittings purulent Exacerbations of Fever towards the Evening Colliquative Sweats in the Morning Diarrhoea Heat in the Palms of the Hands the Face flushes after Meals the Functions languish the Eyes become hollow Haies Hippocratica enowes & Death

In the beginning the Cure is to be attempted by small repeated Bleedings If it arises from Hemoptoe the Antiphlogistic Course under that Disease must be used Blisters are frequently necessary when the Cough is violent at Night it is to be palliated by Opates The Patient may drink large Quantities of a Mucilaginous Liquor as of *Q. arabii* & *Athaa* Emetics are sometimes necessary & the Patient should live chiefly on a milk Diet & Use gentle Exercise avoiding Cold & Fatigue During the Winter Cold is to be avoided & if the Oppression of the Breathing & Cough is not troublesome the Cold Bath is proper If the Disease is purely Scrophulous give *Q. Bark* & Expectorating Medicines If there is Ulceration in the Lungs gentle Exercise Sea Voyages a light Vegetable Diet & the Use of Buttermilk promote its Healing Colliquative Sweats are restrained by Elixir of Vitriol The Bark violent Diarrhoeas are checked by Opates

Of Inflammation of the Stomach & Intestines 1191

This Disease is attended with fixed & acute pain Internal Heat
The Pulse is frequent & contracted there is great Anxiety & Vomiting
In this Disease the Patient receives immediate Relief from Bleeding
And the Pulse becomes fuller & less frequent — Emollientations are
to be externally applied

No. 52. R. Sol. Malv. Flor Chamom a a ʒi
Ag. Font. Rvi coq. ad lib. et cola

External Application of camphorated Oil & Blisters are proper
Emollient Glysters are to be employed

No. 53. R. Lact. Vacuin. Rps Sachar. Rubri. ʒi
Ol. Olivar. ʒi M. ʒ. Enema repet. pro venata

No. 54. R. Ol. Palma ʒi ʒi Vitell. Urinus Rvi probe subactis
adde Lact. Vacuin. Rps M. ʒ. Enema

The Patient should drink Mucilaginous Liquors in large quantities
And the following frequently affords relief

No. 55. R. Pulv. camphor. gr. viij. Mucilag. G. Shagacanth ʒi
Nitri. gr. v. Ag. limmam. Simp. ʒi ʒi Haust.

Of the Ricc Passion

This Disease is attended with acute Pain Costiveness Distension
of the Umbilical Region Flatulency Eructations Nausea Vomiting
at first Bilious afterwards the Stools are discharged by ʒm
these Symptoms arise from an Intensa septia Intestinorum
The Symptoms of Inflammation should be treated as before

No. 56. R. Vin. Aloetii. Alcalin. Ag. limmam. Ten. a a ʒi
Tinct. Rhei Mt ʒi ʒi M. ʒ. Haust

Cude mercury is often recommended acting from its gravity

No. 57. R. Sal. Cathart. Amar. ʒi ʒi solve in Ag. Atwent ʒi ʒi
Dof. Coch. ij omni hora donec solvatur Alvus

Edema temporis
No. 58. R. Ol. Amygdal. ʒi Tinct. Thebaic gutt. xxx. Ol. Anisi q. v. M.

It is frequently necessary to inject the Fumes of Tobacco
Sometimes throwing cold Water on the Body will promote
a discharge by stool

Of an Inflammation of the Liver

If the Inflammation is in the Concave part of the Liver the Pain is Obtuse together with a Sense of Weight in the Right Hypochondrium there is heat & Anxiety about the Praecordia the Pulse is not much quickened

If the Inflammation be in the Convex part the Pain is more acute & the breathing is frequently affected

Begin the Cure by Bleeding & the Application of Blisters the Belly is to be kept open by Antiphlogistic purgatives or Emollient Glysters No. 3. 4. 5. 6 Fomentations as No. 52.

If Suppuration comes on it is dangerous but sometimes the Matter points outwardly the Ulcer is healed & the Plethor ever from the Absorption is either prevented or cured by the Bark No. 33. to which a few Drops of Clixir Vitriol may be added In a Schirrus of the Liver we must have recourse to the Internal & External Use of Hemlock the Expressd is the most certain preparation which at first may be taken in the Dose of a Teaspoonfull & gradually encreased. It may be kept during the winter in a cool place with a little Oil or Spirits of Wine on its Surface

Of an Inflammation of the Kidney

It is attended with a Sense of Heat & an Acute pain in the region of the Kidney Strangury Vomiting & Numbness in the Thigh of the Affected Side. The Resolution of the Inflammation is to be begun by Bleeding the External Application of Blisters Fomentations Emollient Glysters & the drinking large Quantities of Barley Water & the Mucilage of Gum Arabic. If there is little fever Opium & the Warm Bath are to be used

No. 59. R. Ag. Hordeat. ℥ij Gum. Arabic Zi propolis Comm.
No. 60. R. H. Amygdal. Zi G. Arabic Zi Syrup Bals. Zi Ag. Month.
No. 61. R. Clixir Paregoric Zi Ag. Hordeat. Zi M. P. Haust.
If Suppuration comes on the Bark Milk Diet & Glysters are to be used
The Inflammation of the Bladder is to be treated in like manner

Of a Strangury

A Strangury is attended with a Considerable Pain in making Urine which is discharged in small Quantities at a time with a violent Tenesmus & most frequently arises from an Inflammation in the Neck of the Bladder or an Abrasion of the Mucus which defends the Bladder from the Acrimony of Urine. The Application of Plasters to the Os Pubis are proper. The Drinking No. 59. or Emulsions of Almond & ^{the} Camphor Water.

Of Rheumatism

It is divided into the Acute & Chronic in the former the pains are attended with a Considerable degree of Fever in latter none. The Joints the Wrists & Knees more especially are affected with pain attended frequently with Inflammation & Tumor. When the fever is Acute & inflammatory No. 7. 8. 9. 10. 11. are to be used. Topical Bleedings either by Leeches or Cupping Glasses after a general Bleeding are frequently Usefull. When the Fever is moderate & pains severe following is proper.

No. 63. R Extract. Thebair. ℞ iij Pulv. Thebairian ℞ iij
Sistri Tart. Vitriol. a℞ viij Symp. Croci. ℞ ss. Bolus

If there is no fever & the Pains confined to a particular part
Blisters are to be applied & immediately healed up by No. 10

No. 64. R Aq. Amygd. flexet. ℞ iij. Zi Sal. C. G. ℞ iij
Symp. Croci. M. P. Haust. 4. vel 6. quaque hora sumend

No. 65. R Gum. Guaiac. Dissolve Vit. Ori Aq. Limmam Den. ℞ iij
Tinct. Guaiac. Volat. Zi Symp. Croci Zi ss. M. P. Haustus

No. 66. R Elixir. Pareg. Zi Julepe Camphora Zi
Vin. Antimon Zi ss. P. Haustus 5. quaque hora sumend

If the Disease intermits and on its return is preceded by a
febrile Paroxysm the Bark No. 33. is to be given.

Acute Rheumatism sometimes degenerate into a
Chronic. When there is any loss of Motion Electricity often cures

1522/ Of the Gout

Some Days before the Gout appears in the foot the Patient generally feels symptoms of Indigestion Rudities & flatulency in his Stomach sometimes an immoderate Desire for Venerie & confused Dreams that it is caused off in Morning by heat About 2 O'clock in the Morning the Patient is attacked with violent pain in his great Toe fixing a conversation as if the Ligaments or Tendo Achillis were lacerated the Fit is carried off in the Morning by a gentle sweat.

It is curable when the Disease confines itself to the Extremities but when the Viscera are affected by it Men all that can for most part be done is to palliate & relieve the Patient

The Cure consists in strengthening the Organs of Digestion & keeping up a due Inflammation in the Extremities Vomits are sometimes proper when there is Nausea & Eructations & the Lungs oppressed

No. 67. R Pulv. Iperacuan. gr. xv. 3i

Aq. Carmam. Spt. Alex. Simp. ad 3℥. 3℥. Haustus

The Patient should drink an Infusion of Chamomile flowers along with it if the Patient has lived freely let him drink after the vomit a few Glasses of Generous Wine

For an Arthritic Colic an Infusion of Chamomile flowers with Madeira is proper & sometimes but sparingly Opium The Diaphoretic & Cordial Course are to be tried

No. 68. R Sal. C.C. gr. x Aq. Carmam. Spt. 3ij

Vint. Guaiac. Volat. aa 3ij Srup. Zinzib. 3℥. Haustus.

Many Madeira Wines are the best Cordials the Feet should be kept warm sometimes a course of bitter is proper

No. 69. R Centaur. Min. Summit. Manip.

Cort. Aurant 3ij Vin. Alb. Dij. infus. per 24 horas 3℥. 3℥.

If the Patient be Young & the Morb. a Milk Diet with Exercise if advanced in Years the Animal Diet with moderate Exercise Wine should be followed avoiding the more flatulent & spiritous The Paroxysms of the Gout are regular & preceded with fever the Bark may sometimes be used the External Ap. p. is a kind of repellents should be avoided as dangerous

Of the Small Pox

128

A Fever sometimes of the Inflammatory and sometimes of the Putrid kind precedes & accompanies & Eruption
In the Distinct Small Pox the fever goes off after & Eruption
in the Confluent it is only abated The cure consists in moderating the Fever the proper Application of fresh & Cold Air
& the keeping the Belly regular Bleeding may sometimes be necessary during the Fever & generally an Emetic
The belly ought to be kept open by gentle Emetics N.º 5. 6.
Irritating & Stimulating Applications to be avoided - If the Throat is sore use the following

No. 70. R. Tinct. Rosae. ℥iij
Mel. Rosae. ℥ij M. S. Gargarism.

On the external Applications of Blisters to the Throat are sometimes necessary on the following

No. 71. R. Ol. Oliv. ℥i Camphor gr. xx solve
Spt. Sal. vol. amm. ℥ij M. Linim. Extern. Applicand.

On common Drink he should drink plenty of Diluting Acid
No. 72. R. Spt. rect. Dulc. Marm. Dulc. aa ℥. O.
aq. Sepiv. L. S. S. Mixture gratæ acidinæ pro potu Comm.

If Petechiæ or other Symptoms of Putrefaction ^{Weakness} appears the Bark ^{is to be employed}
No. 73. R. Cort. Peruv. ℥i Extract. Siquirit. ℥ij
Aq. Bullient ℥ij Radde Elix. Vtrio. L. S. ad gratam
acidinæ ℥i vel ℥ij omni hora capiente

If the Bark should ^{fail} it may be restrained by Opiates
If the Cough & Rattle & suff is considerable a Purgative is to be taken
No. 74. R. Elix Purg. gutt xxx ad ℥ij Aq. limam. Simp. ℥i ℥ij

If Pneumonic Symptoms come on they are to be removed
by Blisters and frequently by Oxymel Scillitic. & Ammoniacal Mixtures Emetics of Ipecacuan: are proper in this case

124/ If there are Symptoms of Inflammation in any period
of the Small Pox V.S. — After the Disease is over
three or four Doses of Gentle Purgatives are to be
employed No. 75. R Sal Cathart. Glauber. ^{℞ss} Ziv ad 3i
Marmee 3ss solve in Aq. Pur. 3vi
Tinct. Cardam. 3i ℞ cap. Haust. do

No. 76. R Infus. Scorræ Limon. 3i ss Tinct. Cardam. 3ss
Marmee 3ss solve ut ℞ Haustus —

The Eruptions sh^d be allowed to go through their
regular course otherwise the Body is not secured against
a fresh Infection —

Of the Measles

The Measles are attended with more Inflammatory
Symptoms than the Small Pox & the antiphlogistic
Practice must be more especially put into Execution
Besides the fever there commonly precedes & Eruption
Sneezing & a flow of Tears the Eruption & Efflorescence
is hardly above the skin — The most dangerous Symptom
in this Disease is a Peripneumony which frequently
attends or supervenes it Bleeding is the most Effectual
method of removing it sometimes the Application of
Blisters becomes necessary — And the Antimonial
Diaphoretic Course is extremely Usefull — If the Cough
be urgent it is sometimes cured by a vomit or the following

No. 77. R Aq. Font. 3iv Sal C.C. Vol. ʒi Nitri 3ss
℞ Amygd. dulc 3i Syrup Bals 3ss ℞ cap. Cochlearij
And towards the End of the Disease when the ^{subinde}
Symptoms of Inflammⁿ are abated if the Cough contin^s the Elix
Paregori may be added or other mild Pectorals

Of the Dysentery

1261

In the Dysentery there is frequent Purging with Tenesmus griping, & the Stools are often bloody. It is a contagious Disease attended with Fever mostly of the Putrid kind. The causes are Obstructed Perspiration from Cold & Moisture Contagious Miasmata & improper Diet. The Cure consists in evacuating the Putrid & contagious Undes in promoting Perspiration. If there are symptoms of Inflammation. An Emetic as No. 1. should be given ^{increased as} afterwards.

No. 78. R. Tart. Emet. gr. ʒss ad gr. ʒij vel Pulv. Ipecac. gr. v. Elix. Paregor. Di. Ag. Ment. Pipi: Simp. Zi of Haustus

It is frequently proper to expel hardened faeces by a purgative

No. 79. R. Rhai gr. xij — Di. Spec. Aromat gr. iij Tinct. Thebaic. xv. gr. Syrup. e Cort. Aurant 2. S. ut Bolus Nocte hor. decubitus sumend.

No. 80. R. Pulv. Rhai Di. Calomel ppt: gr. v. Cns. Ros. 2. S. Bolus Fiat

No. 81. R. Marm. Opt. ʒss in Mort. marm. cum Vitell. Ovi ʒi ʒi Ol. Oliv. ʒvi addendo paulatim Sal. Cathart. Amar. ʒi in une ʒij Ag. Font. solut.

No. 82. R. Marmæ Opt. ʒij Sal Glauber ʒi solve in Ag. Font. ʒij pro Haustu cap. ʒiv omni hora donec Alvus solvatur. M. pro Haustu

If the Tenesmus be violent opiates must be had recourse to &

No. 83. R. Decoct. Comm. ʒx Ol. Oliv. ʒij the following ʒij Tinct. Thebaic. ʒss — ʒi of Enema

If the Pain of the Intestines be local a Blister is proper The Patient should drink plenty of Mucilaginous Liqueurs

No. 84. R. Amygl. pulv. Alrat. pulv. aa ʒss Safo & Salap. coq. parum ex Ag. Font. ʒvi et admixt. Ag. Cinnamon Simp. ʒi Saccar. Alb. ʒss deinter. & bibe coch. iii vel plura

126/ No. 05. *R* Rad Flav. Ras. Ziff Cap. Rasp. dur. Ras. Di
 Ag. Font. Zi liquescent levigine assidue agitando
 donec in unum coeunt dein effundatur liquor in Mont.
 lapid sensim admiscendo Ag. Font. Zij
 Ag. e Nuc. Mosch. Zi ut of. Emulsio

When the Flux continues till the Strength is impaired
 & the Pulse sinks No. 15. 31. are to be employed

No. 06. *R* Rad Serpent Virgin cortico Zij cog. ex Ag. Font. Zij
 ad viij adde sub finem corticinis Theriac Androm. Zi
 M. Cap. Zij omni quarta Hora.

When the Fever is gone & Evacuations have been employed
 Astringents are necessary

No. 07. *R* Cort. Rad. Simaroub. cort. us Zvi vel Zi
 cog. ex Ag. Font. Ad ad di Colature Cochis quater
 die sumend.

Lime water in this Stage of the Dysentery is frequently service
 To prevent a Relapse the patient should live in a pure
 Air on a Milk Diet use moderate Exercise & avoid Cold
 If Diarrhea is a more moderate Disease with little or
 no Fever & never contagious a Vomit of Ipecacuan.
 succeeded by small Doses of it is generally sufficient to cure
 the Disease when recent

No. 08. *R* Rhin. Mh. Vinos. — Sarc a a Zss of. Haust. Purp.

If the Disease is contin. from weakness of the Intestines
 the Astringent Course No. 16. 17. 18. are to be employed

No. 09. *R* Her. Japon. Zss Ag. Font. Di cog. ad Zvi depar.
 per subsid adde Ag. Cinnam. pt. Zij Symp. a Meron Zi

No. 09. *R* Sign. Campach. Ras. Zij cog. ex Ag. Font. Di. S. Dos Zi
 Di adde Rhin. Japon. Zi Rhin. Thebaic qtt iij ad Colatur.
 Zss. M. Cap. Coch. in quarta quaque hora vel sufficte Diarrhea
 Plat. Gent. Mex. Ussoc. and Wine to be avoided

Mr Moore Mr L: Letter on a Consumption
Dated from Naples Letter Lxij

Your Account of our friends State of Health gives
me much Concern, the more as I cannot approve of Change
he has made of a Physician. you say, the Doctor and
whose Care he is at present has employed his mind entirely
in medical researches, that he scarcely displays a Grain
of Common Sense when the Conversation turns on any other
Subject and that although he seems Opinionative Va-
and ostentatious in his profession and full of false and
absurd Ideas in the common Affairs of life, yet he is a
Very able Physician and has performed many wonderful
Cures, Be assured my Dear Sir that this is impossible, for
medical Skill is not like the rod of an enchanter which
may be found accidentally and with transfers its mira-
culous powers indiscriminately to a Black head or a man
of Sense. The number of weak gossiping Men who have
made fortunes by this Profession do not prove the contrary.
I don't say that Men of that kind cannot make fortunes
only assert they are not the most likely to cure Disease
An Interest with Apothecaries Nurses and a few
talkative Old Ladies will enable them to do the business
But a clear Understanding and a considerable share

natural Capacity are Qualities essentially necessary for
the Second & for every Business which requires Reflection
Without these false Inferences will ^{be} drawn from Experience
itself & Learning will tend to confirm a Man in his
Errors & render him more completely a Coxcomb —

Alas my Friend how is it possible Physicians should
avoid Mistakes if the ablest Mechanic were to attempt
to remedy the irregular Movements of a Watch while he
remained ignorant of the Structure and manner of setting
of some of the Principle Springs would he not be in
danger of doing harm instead of good. Physicians are
in the Situation of such a Mechanic for although it
is evident that the Nerves are the Organs of Motion
and Sensation yet their Structure is not known
Some Anatomists assert they are impervious Cords
others that they are slender Tubes containing a Fluid
But what the Nature of this Fluid is whether it
serves only to nourish the Nerves themselves or
is the Medium by which they convey feeling and
the power of Motion to other parts is not ascer-
tained even by those who argue for its Existence
far less it is explained in what manner Ideas
formed within the Brain can by the means of
solid Cords or by a Fluid contained in Tubes com-
municate Motion at pleasure to the feet & Arms

We are ignorant why the will which has no influence
over the Motion of an Animal's Heart should find the
feet obedient to her Dictates and we can no more explain
how a man can move one Leg over the other by Volition
or the mere act of Witting than how he could ~~lift~~
by the same means move Cssa on the Top of Olympus
The one happens every moment the other would be con-
sidered as a Miracle but they are equally unaccountable
While Parts so infinitely essential to Life are not
understood instead of being surprised that so many
Diseases baffle the Skill of the Physician we have no
reason to be astonished that any can be alleviated
or cured by this Art. The Pen of the Satirist no
doubt may be fairly aimed against the presumption
and ignorance of many Individuals of ^{as of every other} ~~this~~ Profession
But cannot with justice be directed against the Art
itself Since in spite of the Obscurity which still
involves some parts of the Animal Economy many
Disorders are relieved and some of the severest and most
disagreeable to which the Human Body is liable
are cured with certainty by the Art of Medicine.
Unfortunately for mankind and in a particular
manner for the Inhabitants of Great Britain
the Pulmonary Consumption is not of the Number

Of The Pulmonary Consumption
by D.^r Moore Dated from Naples

This Disease may originate from various Causes

1. an External Bruise or Wound 2. ^{indirectly} the Pleurisy
or an Inflammation of the Lungs themselves
as well as the membrane which covers them —
3. ^{also} the bursting of some of the Blood vessels of the
Lungs independant of external injury Vowing
to a faulty ^{of} conformation of Chest & ^{the} slenderness of
the Vessels 4. Certain small Tumours called
Tubercles in the Lungs — The first cause I have
mentioned is an external bruise or Wound an
evident of that kind happening to the Lungs is
more dangerous & difficult to cure than when the same
takes place in most other parts of the Body because
the Lungs are Vital Organs essentially necessary
to Life and when their motion is impaired other
Animal Functions are thereby injured because
they are of an uncommonly delicate Texture in
a Rupture having once taken place is apt to encrease
because they are in constant motion and exposed
to the Access of external Air both of which circum-
stances are unfavorable to the healing of Wound and
because the Mass of Blood distributed to the whole

Body passes previously ~~to~~ the Lungs and consequently
the Bloodvessels of this Organ are more numerous
than those of any other part of the Body—

When we consider these peculiarities it is natural
to conclude that every wound of the Lungs must necessarily
prove mortal but experience has taught contrarily
Many wounds of the Lungs heal of themselves by
what is called the first Intention. The Physician
may prevent a Fever by ordering the Patient to lose
Blood in proper quantities and he may regulate the
Diet but the Cure must be left to Nature which
she will perform with greater certainty if she is
not disturbed by any of those Balsams ~~are~~ which
the wounded are sometimes directed to swallow on
such Occasions. but when the Wound either from
injudicious treatment or from its Size or from
the bad Habit of the Patient degenerates into an Ulcer
attended with Heitish Symptoms the Disease must
be treated as if it had arisen from any of the other Causes

The Pleurisy or Inflammation of the Lungs
is a Disease more frequent in Cold Countries than
in Mild In the Spring than in the other Seasons
and more apt to seize people of a Sanguine
Constitution than others—

Plentiful and repeated Bleedings Tomentations
Blisters near the affected part and a cooling diet
Regimen generally remove it without its leaving
any bad consequence. Sometimes by the Omision
of Bleeding in due Quantity at the beginning and
sometimes in spite of all possible care it terminates
in an Abscess which on bursting may suffocate the
Patient or if the Matter is coughed up becomes an
Open Ulcer and produces the Discafe in Question
The third Cause of the Pulmonary Consumption
above mentioned is a Spitting of Blood from the
bursting of Vessels of the Lungs independent of
External Wound or Bruise. — People of fair Complexion
Delicate Skin & slender make Long neck
and Sarvoid Chest are more subject to this than others
Those who have a Predisposition to this Complaint
by their form are most apt ^{to} be attacked after their
full growth Women from fifteen to Thirty three
Men two or three Years later. In great Britain
Spitting of Blood generally occurs to those pre-
disposed to it in the Spring or beginning of Summer
when the Weather suddenly changes from cold to
excessive Hot and when the Heat is supposed to
purge the Blood before the Solids are proportionably
relaxed from the contracted State they acquire during
the Winter

When a Spitting of Blood happens to a Person who
has actually lost Brothers or Sisters or other near Relations
by the Pulmonary Consumption as that circumstance
gives reason to expect a Family Taint or Predispo-
sition the Case will on that Account be more dangerous.
Violent Exercise may occasion the Rupture of Blood
vessels in the Lungs even in those who have no
hereditary disposition to such an Accident it ought
therefore to be carefully avoided by those that have
Violent Exercise in the Spring is more dangerous
than in other Seasons and when taken at the top of
high Mountains by those who do not usually
reside there it has been considered as more dangerous
than in Vallies. The sudden Diminution of the
Weight of the Atmosphere cooperating with the
Exercise renders the Vessels more apt to break
Of all things the most pernicious to people pre-
disposed to a Spitting of Blood is playing upon wind
Instruments. Previous to the Spitting of Blood one
perceives an Uneasiness in the Chest an Oppression
on the Breath and a Salty Taste in the Spittle
But these Symptoms are not constant. Nothing
can be more insidious than the Approaches of the
Disease sometimes are. The Substance of the Lungs

Which is so full of blood vessels is not supplied
so liberally with Nerves the Lungs therefore may
be materially affected before danger is indicated by
acute Pain. And it sometimes happens that people
of the make above described are in the bloom of
Life & generally in the Spring of the Year seized
with a slight Cough which gradually encreases
without Pain, & a sense in the Breast Difficulty
of Respiration or Spitting of Blood. A slow
Fever supervenes every night which remits every
morning with Sweats. These symptoms
augment daily and in spite of early attention and
what is thought the best advice the unsuspecting
Victims gradually sink into their graves.
Those who by ^{their} make or by ^{the} Disease having in
former instances appeared in their family are
pre disposed to this Complaint ought to be particu-
larly attentive ^{to} the Article of Diet. A spare and
cooling Regimen is the best. They should avoid
violent Exercise and every other exciting cause and
use the precaution of losing blood in the Spring
if their circumstances permit they ought to pass
the cold months in a mild Climate but if they
are obliged to remain during Winter in Great Britain

Let them wear Flannel next the Skin and use every other precaution against catching colds.

The Fourth Cause above enumerated is Tubercles in the Lungs the Moist Foggy & chargeable ^{weather} which prevails in Great Britain renders the Inhabitants more liable than those of milder & more uniform

Climates to Catarrhs Rheumatisms Pleurisy & other Disorders proceeding from obstructed Respiration.

The same ^{cause} Subjects the Inhabitants of Great Britain to Obstructions of the Glands Scrophulous Complaints & Tubercles in the Substance of the Lungs.

The Scrophulous Complaint is more frequent than is generally imagined. For one Person in whom it appears in Swellings below the Glands of the Chin & other external Marks many have the internal Glands affected by it. This is well known to those who are accustomed to open Dead Bodies. On examining the Bodies of those of such as have died of the Pulmonary Consumption besides the open Ulcers in the Lungs many little hard Tumors or Tubercles are generally found some with Matter others on being cut open discover a little bluish Pus of the Size of a small Lead Shot. Here the Inflammation or Formation of Matter is just going to begin.

And in some the Tubercle is perfectly hard & the
Colour whitish throughout its whole Substance.
Tubercles may remain for a considerable time in
the Lungs in this indolent State without much
Inconvenience but when excited to Inflammation
by frequent Catarrhs or other irritating Causes
matter is formed they break & produce an Ulcer
Care and Attention may prevent Tubercles from
Inflammation or may prevent that from terminating
in the formation of Matter but when Matter is
actually formed and the Tubercle become an Abscess
no Remedy can stop its Progress. It must go on
till it bursts. If this happens near any of the large
Air Vessels immediate Suffocation may ensue but
for the most part Matter is coughed up. From the
Circumstances above enumerated of the delicate
Texture constant Motion and numerous Blood-
vessels of the Lungs it is natural to imagine
that a Break of this nature in their Substance will
be still more difficult to heal than a wound from an
external Cause. So unquestionably it is yet there
are many Instances of even this kind of break being
repaired the Matter expectorated diminishing in
Quantity every day and the Ulcer gradually healing

Constant disposition and Tendency which exists in Nature by insinuable means of her own to restore her to the Human Body. It may be proper to observe that those Persons whose formation of Body renders them most liable to a Spitting of Blood have also a greater predisposition than others to Tubercles in the Lungs. The Disease called the Spasmodic Asthma has been reckoned among the Causes of the Pulmonary Consumption. It would require a much greater degree of confidence in a Man's own judgement than I have in mine to assert that this Complaint has no Tendency to produce Tubercles in the Lungs but I may say with Truth that I have often known the Spasmodic Asthma in the most violent degree attended with the most alarming Symptoms continue to harass the Patients for a long Period of time and at length suddenly disappear without ever returning the Persons who have been thus afflicted enjoying perfect Health for many Years after. It is not probable that Tubercles were formed in any of these Cases and it is certain they were not in some whose Bodies were opened after their Deaths which happened from other Distempers the Asthma having disappeared several Years before. Certain Eruptions of the Skin attended with Fever particularly the Small Pox and still oftener the Measles leave after them a Foundation for the

causes above enumerated this Disease takes its Origin
when once an Ulcer attended with an hectic Fever is formed
in the Lungs the Case is in the highest degree dangerous
when it ends fatally the symptoms are a quick Pulse
and a Sensation of Cold while the Patients Skin to the
feeling of every other Person is hot irregular shivering
a severe Cough Expectoration of Matter streaked with
Blood Morning Sweats a crimson or red Spot of a crim-
son colour on the Cheek Heat of the Palms of the hands
Excessive Emaciation Croaking of the Nails Swelling
of the Legs Giddiness Delirium soon followed by Death
These Symptoms do not appear in every Case
Although the Emaciation is greater in this Disease
than any other yet the Appetite frequently remains
strong and unimpaired to the last and although Delirium
comes before Death yet in many Cases the Senses seem
perfect & entire except in one particular that in spite
of all the foregoing Symptoms the Patient often enter-
tains the fullest hopes of Recovery to the last Moment
Would to Heaven it were as easy to point out the
Cure as to describe the Symptoms of a Disease of
such a formidable Nature and against which the
Powers of Medicine have been directed with such
bad success that there is reason to fear its fatal
Termination has been often ^{or} accelerated than retarded

Contusiones externæ et Internæ

Externe si aliquid inflammatur ad d. Dolore post Vesic. et Cathart. applic. sequi
 ℞ Muc. Sani Albi Olei Ung. Bialthes. ʒj Bob. Armenia ʒij Acet. Acet.
 q.v. ut f. Cataplasma quævis loco Inflammatione tantummodo frigiditas quidam
 vi incepto tum Applicationes Spirituosæ cum Balneo Presens. Fro.
 ad partem maximopere adjuv. experitum est Liniment. Paralytic.
 vel si aliquid durit et Infaret. Lepolum Indicum. & pauculis Sp. Sab.
 præstantissim. ad Echymosin ℞ J.V. Aceti Optim. a ʒ ʒ nullis Vesic.
 hanc usque attend. uti Aut. d. Oleo et præstantissim. vel Vulgo Solomon Seal dicit.

Si Interne V.S. Infus. Seneg. p. r. n. Mustus. Oleo Sub. Volat. d. O. Amygd.
 Limet. Sanaus. Lac. Ammon. Sperm. Coti. Elect. Nephritic. Decoct.
 Corticis. Elia. Vitriol. Tinct. Ros. Fuller. Nit. Bob. Corroborans
 Imp. Corroborans. Emul. d. O. et Sp.

Obstinate cutaneous Eruptions. Elleb. Alb. Decoct. Ung. Calc.
 Hydrag. Alb. or Ung. ex Hydrag. nitrat. & Ung. Adip. Suilla
 ve. Scrup. Acetat. Sarsol. Chafing Hair Powder. Cerat. & Lap. Cal.
 Chilblains. Alum. water, Cerat. or Emp. Lithargyri
 Scald Head by Combs, Pillows or Hats. Ung. Hydrag. nitrat. Kaliæ
 Hydrag. Alb. ve. solutio Hydrag. Muriat. Decoct. Elleb. ve. Nicot.
 Oxyphine. try Prepared & opening the Tumour & Cort. Penum.
 Carbosfine. a deep Issue on each side & Cort. Penum.
 Diseases Hip. Issues round the joint & C. P. for White swell
 Rickets. Frictions. Cold Bathing & strengthening
 Horse Lip. to be performed soon after Birth or after 4 Months

Colica ex exhalationis Naturae

[68]

Tinct. Sassa. & Syz. i. Spm. Terebin. q. Dr. Thomas R. Howard Ag. Hordeat
et Manna. Balf. Beroni. Vid. Rydenham. Colic. Butoinum.

Group under 12 years. Blister of Cornet & Quills, Antimony
Common. & Asa fetida either by mouth or Clyster, Warm
Liquors, a few drops of Syr. Mecon. or Tinct. Opii Camph.

Ulcerated Sore Throat Painfull Swell'd red & Ulcerated
Loss of Strength & after Delirium Breast & Arms of a red colour
a difficulty of Breathing is unfavourable strong Purgatives
to be avoided Blister support the sinking Cor. Pulv. Frict.
Aromatic or Confection of Argem. Infus. Ros. Honey, Vinegar
& Port Wine & Wine in Gruel or other Drink

Scarlet Fever Breast Arms & Skin unusually red diffused
to Tongue & light-headed & sore in the Throat This requires the
same as the Ulcerated Sore Throat of the Measles Fever
Dry Cough Watery weak Eyes Sneezing three day before Eruption
on the 4th day small red spots after 4 days more they die away
in a few the Fever & restlessness increase & speedily death or a
slow decline for the Cough & difficulty of breathing R. Cooling Sigs
& Medicines for Sleep Symp. Mecon. ʒj Tinct. Opii ʒiij Guttijer ʒi
When the Disease is past opening Physick

Cowpox The round Pustule 6th day contains a thin Fluid &
even the 14th day on the 18th day has a circular red areola & begins
to dry up into a dark & deep Scale little fever or contagion
Antile. Fever Shivering Light Dry Hands Hot Pulse quick Breath they
willing to stir or sweat Some throw up perhaps a worm from the
stomach Sleep disturbed Food rejected Delirious & stupid
Death the Bowels rest & thin Liquids not infectious

Hectic Fever strength decays Spirits lost & Body wastes Dead look
All when the fit phlogistic humors Cor. Pulv. in Milk & Sugar
Cor. Pulv. rule. ʒj or a Clyster of Cor. Pulv. & Tinct. Opii ʒiij
Macacens Children & grown people cured by these remedies
turn over

Sinture Lavend. C.

R/ Ol Nuc. Mosch:
— Caryophil: aa Zj
— Lavend. — Zjss
Solve in Sp: Vin: R: Vadder Sp: Vin: G: Duj
Rad. Alkan: Zjss Rasur. Santal. R Zjss
Covinnella Cor: Ang: aa Zjss Dig. S.A.

To make Anise Punch —

Put a Pine Apple into a Wide Mouth
Bottle fill'd with abt. Duj or Dir
of Best Jamaica Rum stop it close
with Bladder & Leather as soon as the
Rum has ^{gained} contracted a flavour from the Pine
Pour it off into a Bottle & add more Rum
& pour that off also into a Bottle (to be laid up
for Use) & continue pouring fresh Rum upon
the Pine as long as it receives Flavour therefrom
When You would Use it put about two large
Spoonsfull ~~of~~ into a Quart of Rum & Brandy
Punch &

London, January 10.

My dear Sir,

I have just received

your letter of the 7th

and am very glad to hear
that you are well and
hope you will continue so.

I am, Sir, very respectfully

Yours, &c.

J. H. P.

P.S. I have just received

your letter of the 7th

and am very glad to hear

that you are well and

hope you will continue so.

I am, Sir, very respectfully

Yours, &c.

J. H. P.

P.S. I have just received

your letter of the 7th

and am very glad to hear

that you are well and

Ad eundem

In slight Burns which do not break the skin hold the part near the fire rub it with Salt or lay a compress upon it dipped in Sprt of wine or Brandy — If the skin is broke it should be dress'd with Turners Cerate. If the Burning be deep dress it with equal parts of Basilium & Cerate

When the Burn is violently inflam'd & a Gangrene or Mortification is fear'd the Patient must be kept low must likewise be bled & kept open — But if the burnt parts should become Livid or black with other Symptoms of Mortification it will be necessary to bathe them frequently with warm camphorated Spirit of wine Tincture of Myrrh or other Antiseptics mix'd with a Decoct: Cort: Peruv: In this case the Bark must be taken internally & the Patients Diet more generous — A middle aged man of a good Constitution fell into a large vessel full of boiling water and miserably scalded abt one half of his body as his clothes were on the Burning in some parts was very deep before they could be got off — The first two Days was frequently anointed with Lime water & Oil mix'd together On the third day his fever high & body costive he was bled & Clystered had Bouldies of Bread & Milk soften'd with Butter apply'd to the parts to abate the Heat & Inflammation His fever continuing he was bled a second time took the Saline mixture with small Doses of nitre & had an emollient Clyster administered once a Day when the Inflammation began to abate the parts were dress'd with a Digestive composed of brown Cerate & Yellow Basilium where any black spots appeared they were slightly scarified & touch'd with $\frac{1}{2}$ Tincture of Myrrh & to prevent their spreading the Tincture of Bark was administered by this course the Man was so well in six weeks as to be able to attend his Business —

151

Notamina quaedam
et Prescripta aliquot alia Insigna

Ad Ambustiones

R. M. Lini et Aq. Calcis Fortior a. q. s. q. b. in et parti affectu super
Linteum catenif. applicand. mire confort. & Hayes

Ung. De Ovo D. Bracken

R. Vitell. Ovor. ad durit. coct. & N. 2 contunde omnia et vapor. Igem.
Vasa in Ferrea impone. Ut decant. Ut Solis quod hoc modo
acquirer. ad. addas Mellis Optim. Cornu Alb. a. 3ij f. Ung.

Alter ad eundem

R. Cero Flav. & Lini a. 3ij Vitell. Ovor. N. 2 in f. Unguent.
Ut Aqua acides immerg. Part. in sp. Sacchar. Vulgo. Gum. ad hor. s. veloz
vel. quandiu. Ardor et dolor laspinans pervener. secund. Warnes

Stage of the Pulmonary Consumption and in some degree
gives it the Appearance of an Intermittent joined to the
Failure of all other Remedies prompted Physicians to
make trial of that noble Medicine in this Disease —
In consequence of these Trials the Bark is now pretty
generally acknowledged to be serviceable in Venereal
Complaints proceeding from debility and other Causes
exclusive of Ulcerated Lungs but when the Disease pro-
ceeds from this Cause the Bark is supposed by some very
Respectable Physicians always to do harm. I am most
clearly of the first Opinion and perhaps it would not
become me to dispute the Second. It may be permitted
however to observe that the most discerning Practitioners
may be led into a Notion that a very safe Medicine does
harm when it is exhibited at the worst Stage of the Dis-
ease in which hardly any Medicine ~~has~~ whatever has
been found to do good. In every Stage of this Disease
Elixir of Vitriol may be used. It is a pleasant and safe
Medicine but particularly Efficacious when the Patient
is troubled with wasting Sweats. Having in Obedience
to Your Request delivered my Sentiments freely You
will perceive that besides the Objections already men-
tioned to the Person under whose Care our friend is at pre-
sent I cannot approve of his being directed to take so
many Dumps or of his being detained in Town at a
Season when he may enjoy in the Country what is

Preferable to all Medicine Air Exercise and let me
even add Diet. Had I known of our Friends Complaint
earlier I should have advised him to have met the advan-
cing Spring in the South of France but at the season
in which you will receive this Letter the moderate
Warmth and refreshing Verdure of England are preferable
to the Sultry Heats and scorched Fields of the South
From the View I have of his Complaints I can have
no Hesitation in advising You to endeavour to prevail
on him to quit his Druggs and to leave London with-
out Delay. Since he bears riding on Horseback so well
let him enjoy that Exercise in an Atmosphere freed
from the Smoke of the Town and impregnated with
the Odour of rising Plants and green Herbage a
Flavour which may with more truth be called Pecu-
-liar than any of the Heating Resins or bathsome
Oils on which that Term has been prostituted. Let
him pass the Summer in Drinking ~~in drinking~~ the
Waters and riding around the Environs of Bristol
It will be easy for him to find a house in the free
Air of the Country at some Distance from that Town
and it will be of Use to have an additional reason
for Rising early and riding every Morning. It is of
the greatest Importance that he continue that Exer-
cise every day that the Weather will permit

A little Claudiness of the Sky should not fright him from it there is no danger of catching Cold during the continuation of that Movement which assists Digestion promotes the Determination of Blood from the Lungs to the Surface of the Body and is more salutary in the morning than after Dinner. With respect to Diet he should carefully observe the important Rule of taking food frequently in small quantities and never making a full Meal that the digestive Organs may not be overpowered or the vessels charged with too large a quantity of Chyle at a time which never fails to bring on oppressive Breathing and augments the Fever and Thirst which in some degree succeed every Repast. Since all kinds of Milk are found to disagree with his Constitution that nourishment which is in general so well adapted to similar Complaints must be omitted and light Broths with vegetable food particularly of the farinaceous kind substituted in its place and especially the Native Acid of Vegetables are remarkably appreciable and refreshing to all who labour under the Heat Oppression and Languor which accompany these Complaints. It is surprising what a quantity of the Juice of Lemons the Constitution will bear without any inconvenience when it is accustomed to it by degrees and in those Cases where it does

not occasion pains in the Stomach or Bowels or
other immediate Inconveniences it has been thought
to have a good Effect in abating the Force of the Heat
Fever. I have met with two Cases since I have been
last abroad in both of which there seemed to be a quicker
Recovery, than I ever saw from the same Symptoms.
The first was that of a Young Lady of about seven-
teen years of age and apparently of a very healthy
Constitution. In bad weather during the Spring she
caught cold this being neglected in the beginning she
gradually grew worse. When Physicians were at length
consulted their Prescriptions seemed to have as bad an
Effect as her own neglect. By the middle of Summer
her cough was incessant accompanied with Heat
Fever and Flushings Irregular Shivering Morning
Sweats Emaciation Expectoration of purulent Phlegm
streaked with Blood and every Indication of an Open Pleurisy
in the Lungs. In this desperate State she was carried
from the Town to a finely situated Village in Switzerland
where for several Months she lived in the middle
of a Vineyard on Ripe Grapes & Bread. She had been
directed to a Milk and Vegetable Diet in general
her own taste inclined her to the Grapes which she
continued on finding that with this Diet only she

was less languid and of a more natural coolness and that the Cough Fever and all the other Symptoms gradually abated. She seemed to be brought from the jaws of Death by the Change of Air and this Regimen only and she returned to her own home in high Spirits and with the look and Vigour of Health. The ensuing Winter after being heated with Dancing at the house of a Friend she walked home in a Cold Night the Cough Spitting of Blood and other Symptoms immediately returned and she died three Months after. — In the other Case

There was not such a degree of Fever but there was an Expectoration of Matter frequently streaked with Blood and evident Signs of an Ulcer in the Lungs. The Person who laboured under these Symptoms had tried the usual Remedies of Pectorals Pills Liniments &c with the usual Success. He grew daily worse. He had formerly found much Relief from Bleeding but had left it off for many Months on a supposition that it had lost all Effect and he had allowed another to be healed on the same supposition though he still persisted in a Milk Regimen. I mentioned to him the Case of the Young Lady as it is above related. He immediately took the Resolution to confine himself to Bread & Grapes for almost his only food. I advised him at the same time to have the Issue opened and to

continue that Train for some time but this he did not
comply with. He forsook however the Town for the
Country and passed as much of the Morning on Horse-
back as he could bear without Fatigue. He soon
was able to bear more and after about three weeks
or ^a month his Cough had greatly abated. When he
had persisted in this Regimen between 2 & 3 Months
he had very little Cough and what he spat up was
pure Phlegm unmingled with Blood or Matter.
He has now been well above an Year and altho
I understand that he occasionally takes animal
Food he has hitherto felt no Inconvenience from it.
He passed the Second Autumn as he had done the
first at an house in the Country surrounded by
Vineyards. The greater part of his Food consisted of
Ripe Grapes & Bread with such a Diet he had not
occasion for much Drink of any kind what he used
was simple Water and he made an ample Provision
of Grapes for the succeeding Winter. Though I have
no Idea that there is any specific Virtue in Grapes
for the Cure of the Pulmonary Consumption or that
they are greatly preferable to some other cool
Subacid Ripe Fruit equally agreeable to the
Taste provided any such can be found yet I
thought it right to particularize what was used

on these two occasions leaving it to others to determine
what share of the happy consequences I have enumerated
were owing to the Change of Air how much may have
flowed from Exercise how much from the Regimen
and whether there is reason to think that the favorable
Turn in both Cases depended on other circumstances
unobserved by me I have now my Dear Sir complied
with Your Request and although I have endeavoured
to avoid Technical Verbosity and all unnecessary
Detail Yet I find my Letter has swelled to a greater
Size than I expected I shall be exceeding happy
to hear that any Hint I have given has been serviceable
to our Friend. If the Cough should still continue
after he has passed two or three Months at Brighthelm
I imagine the most effectual thing he can do will be
to take a voyage to this Place he will by that
means escape the Severity of a British Winter
the Voyage itself will be of Service and at the End
of it he will have the benefit of the fine ^{mild} Air of the
Campagna. He will be refreshed and nourished
by the finest Grapes and when tired of Riding
He will have continual Opportunities of Sailing
in this Charming Bay.

John Tremayne *J. Tremayne*

[Faint, illegible handwriting, likely bleed-through from the reverse side of the page. The text is written in a cursive script and covers most of the page area.]

Some Practitioners object to these Medicines on a sup-
-position that they check Expectoration but they only
seem to have this Effect by dulling the Irritation &
Cough the same Quantity will be expectorated in the
Morning after the Influence of the Opiate is over
It is surely better that the Matter should accumu-
late and the Patient spit it up at once than allow
him to be kept from Rest and teased with Coughing
and Spitting through the whole night. These
Palliatives however are to be managed with great
Caution never exhibited while the Patient enjoys
a tolerable Share of natural Rest. Small Doses
should be given at first and not increased without
absolute necessity. Exhibited in this manner they
cannot do Harm and those who reject the Assistance
of a Class of Medicines which afford Ease & Tranq-
uillity in the most deplorable State of this Disease
ought to give better Proofs than have hitherto ap-
peared that they are able to procure their Patients
more valuable and lasting Comforts than those they
deprive them of. The known Efficacy of the Peru-
vian Bark in many Distempers especially in Inter-
mittent & Fevers the Remissions of the Symptoms
which happens regularly every day at a particular

considered as an occasional Palliative and that from which we expect an absolute Cure. In the one Case it will only be used at stated Intervals whether the Symptoms press or not and may tend to weaken the already debilitated Patient without our having the Consolation of knowing with certainty that it has had any other Effect.

Blisters do not weaken so much they are of undoubted Use in Pleurisy perhaps by exciting external Inflammation they may contribute to draw off the Inflammatory Disposition within the Breast perhaps.

But in whatever way they act I imagine I have frequently seen Blisters and Setons particularly the latter of considerable Service even after the Symptoms indicated the Existence of an Ulcer in the Lungs.

As for the numerous forms of Electuaries Lozenges & Liniments composed of Oils Gumms & Symples and by the Courtesy of Dispensatory Writers called Pectorals I am convinced they are of no manner of Service in this Complaint and seldom have any other Effect than that of loading the Stomach and impairing the Digestion of Salutary Food. So far from being of any permanent Service to the Disease they cannot be depended on for giving even a temporary Relief to the Cough when that Symptom becomes troublesome Gentle Opiums will be found the best Palliatives.

I have repeatedly mentioned Blood letting and a spare
diluting Regimen as the most powerfull means of pre-
venting and curing all Affections of the Lungs that dep-
end on Inflammation. In the case of External ^{wounds}
or Bruises of the Lungs this method facilitates the
^{immediate} first Intention Cure by the first Intention. It is
the Chief thing to be depended on for the cure of
Pleurisies and it is often owing to a Neglect or too
sparing a Use of this Evacuation that the Complaint
terminates in an Abscess. In People predisposed by
the form of their Bodies or the Nature of their
Constitutions to a Spitting of Blood it may prevent
the turgid vessels from bursting and in those who
have Tubercles in the Lungs it is of the greatest
Utility by preventing these Tumours from inflam-
ing and becoming Ulcers but after the Ulcers are
actually formed I have great doubts with regard to
the propriety of attempting a Cure by repeated ble-
dings even in small Quantities. This method
has been often tried but I fear the success with which
it has been attended gives no encouragement to
continue the Practice. That Symptoms may be
such in every Period of this Disease as to require
this Evacuation is not to be denied but there is
a great difference in the Application of what is

Powders every two or three hours Nature cannot shake off
the Fever so soon by six or seven days as she would have
done had she been left to her self. She generally does
her Business at last however and then the Physician and
Apothecary glory in the happy Effects of their Skill and
receive the gratefull Thanks of their Patient for having
cured him of a dangerous Fever. Every Body of common
penetration at all conversant in Medical Matters
must have seen enough to convince them that the above
Description is not exafferrated but it is not to be infer-
red from this that the Art of Medicine is of no Use to
Mankind. There are many Diseases in which Nature
sinks without Medical Assistance. It is the part
of the Experienced Physician to distinguish these from
others and leave it to the Knarish & Weak to asume the
Merit of Cures in Cases where they know or ought to
know that Medicine can do nothing. Some Physi-
cians who have abandoned the other Resins & Gums as
Useless & hurtfull in Hectic Complaints still adhere
to Myrrh as a beneficial Medicine but from what I have
learned the Cases in which this Gum has been thought
serviceable are Hectic Complaints from Debility in conse-
quence of excessive Evacuations of various kinds and
not proceeding from Ulcerated Lungs. After it is fully
established that Myrrh is of Use in such Instances it
will be still worthy of Investigation whether it is of
more or less Use than Jesuits Bark

Order by Accident or Distemper Nature endeavours
to restore Health. Happily she has many Resources
and various methods of accomplishing her purpose
and very often she succeeds best without Medical
Assistance. But Medical Assistance being given
she frequently succeeds notwithstanding and it some-
times happens that both Physician and Patient are
convinced that the means which did not prevent have
actually performed the Cure. A Peasant is seized
with a Shivering followed by Feverishness & accompan-
ied with slight Cough—he goes to Bed and excessive
Heat and Thirst prompt him to drink plentifully
of plain Water on the second or third day a copious
Sweat bursts from ^{all} his Pores and terminates the Disease.
A Person of fortune is seized with the same symptoms
arising from the same cause and which would have
been cured by the same means in the same space of
time but the Apothecary is called and immediately
sends Pectoral Linctuses to remove the Cough and
afterwards gives a Vomit to remove the Nausea which
the Linctuses have occasioned the Heat and Fever
augment the Physician is called he orders the Patient to
be bled to abate the violence of the Fever and
gives a little Physick on some other Account. All
this prevents the Natural Crisis by sweat and
the Patient being farther teased by Draughts or

conclusions with respect to the Natural & Artificial ~~Practise~~
even when they have laid all Theory & Reasoning aside
and decided on their powers for Practice & Experiment
only. This is sufficient to prove at least that their Effi-
cacy is very problematical. For my own part after the
fairest Trials and most accurate Observations I have been
able to make I cannot say that I ever knew them of
Service in any Rectick Complaint proceeding from an
Ulcer in the Lung and I have generally found those
Physicians on whose judgement I have more reliance ~~than~~
than my own of the same Opinion. It is far from being
uncommon to see a Cure retarded not to say any thing
farther by the means employed to hasten it & Physicians
who found their Practice on Theoretical Reasonings are
not the ^{only} persons to whom this misfortune may happen
those who profess to take Experience for their sole
Guide if it is not directed by Candour & enlightened by
natural Sagacity are liable to the same. A Man may
for twenty Years order a Medicine which has in every
Instance done a little harm tho' not always so much
as to prevent Nature from removing the Complaint
at least and if the Reputation of this Medicine should
ever be attacked he may bring his twenty Years Experi-
-ence in support of it. It ought to be remembered
that as often as the Animal Constitution is put out of

administered Internally would have the same Effect
on Internal Ulcers and of course many of those Gums
and Balsams were prescribed in various forms for
the Pulmonary Consumption. The Reasoning on
which this Practice was established however seems
a little shallow and is far from being conclusive for
although it were granted that these Balsams contribute
to the cure of wounds when applied directly to the
part it does not follow that they could carry their
healing powers unimpaired from the Stomach to the
Lungs through the whole Process of Digestion.

But more accurate Surgery having made it manifest
that the Granulations which spring up to supply the
loss of Substance in External Wounds and the Healing
or Skinning over of all kinds of Sores proceed from
no active virtue in the Plaisters or Ointments with
which they are dressed but is entirely the work of
Nature and best performed when the Mildest Substan-
ces or even dry Lint only is applied and that heating
Gums Resins and Balsams rather retard than prom-
ote their Cure the Internal Use of such Remedies
ought to be rejected now on the same Principles they
were adapted formerly. No kind of reasoning ought
to have weight when opposed by fair Experience.
But Physicians have formed contrary and opposite

by the means employed to remove it. To particularize
the Drugs which have been long in Use and have been
honoured with highest Encomiums for their great Efficacy
in healing inward Bruises Ulcers of the Lungs & confirm
Consumptions would in many Instances be pointing out
what ought to be shunned as pernicious and in others what
ought to be neglected as futile & Salt Water & some of
the Mineral Springs which are unquestionably beneficial
in Scrophulous & other Distempers have been found
hurtfull or at least inefficacious in the Consumption
there is no sufficient reason to depend upon a course of
these or any Medicine at present known for preventing
or dissolving Tubercles in the Lungs. Mercury
which has been found so powerfull in disposing other
Ulcers to heal has no good Effect on Ulcers of that
Organ though some Physicians ^{think} it may ^{be} of service in the
beginning to dissolve Tubercles before they begin to
suppurate but as there is no absolute evidence during
Life of indolent Tubercles being formed there can be
none that Mercury cures them. Various kinds of
Gum with the Natural & Artificial Balsams were
long supposed to promote the healing of External
Wounds and Ulcers and on that Account were made
the Basis of a vast variety of Ointments & Plaisters
It was afterwards imagined that the same Remedies

Ad Bubonocèle

(67)

Soft Reductionem. V. S. copiose Enema purgans Tot Cataplasma ex Aucto
Farina Avenae Embrocet Aucto Calida Bunct in Intestum extract
Bund 2^o quaz hora ad reductionem suspendatur & Cris ut Intestum
pondus adjuat

Looseness by too much or unsuitable Food/wait one day
in some cases an Emetic in almost all Rhei then Chalk
spices, Bitters, & Astringents repeat the Rhei if the stools are very
frequent, slimy or tinged with Blood give Rice or Flower boiled
in Milk Hartshorn Jelly, Synglass with Wine & Sugar or a
starch Glyster with Tinct. Opij ʒi ut vi While the strength
& appetite continue purging is free from danger A Tightness
of the Skin with claylike stools is commonly fatal

Decent of the Fundament Angustura, Cort. Peru. Cold Bathing
when the Intestine is replaced foment with An. ounce of Cort. Peru.
ʒi Boiled in a pint of water & let the Child's feet not touch
the ground while the Body empties itself

Erysipelas ^{in the fingers, hands, feet, ankles} sometimes begins near the Pubis affecting the
the scrotum with a tendency to Gangrene often proves fatal
in a few days the Bark should be given as soon as possible
on Confectio Aromaticæ & one or two drops of Tinct. Opij & the
Part fomented with a Decoction of Camemille Flowers, or with
Rheo spiritus Camphoratus

Hardness of the Skin & Cellular Membrane Frictions & Warm Bathing
Tetanus or Locked Jaw the same Remedies, Injections into the Intestines
Difficulty of making water Warm Bath, Frictions & gentle Purgatives
a milk & water injected into the Intestines mostly in the night
Incontinence of Urine often continues several years Cold Bathing
& Blisters to the Loins the soft Ury. to prevent chafing from wet

Si Dolor in Intestinis adeat Opii usum valet et si ad sit Nocet
 Chylton Roman Tinct Bhab & Laudan. precedente N. S.
 Clyster ex Amylo Sesum Mellilot liquefact & Lact composit et
 deglutandum vel per Clyster injiciendum & addit Opio vel Spu. Truaja

Of the Ante Inflammatory Fever

Delirium is more dangerous in this than in the
 Nervous Fever if it does not terminate on or
 before the 7th day its always dangerous —
 It sometimes runs into a Nervous Fever

Delirium, with a dry Tongue, Pulsus altus
 & durus, every unnatural Change of the
 Features & Voice, Cold Extremities in the
 latter stage of the Fever with a sinking
 Pulse striking the Red cloath on the back
 with the Eyes fixed or open
 in which the Pupils are at the corners of the Eyes
 Tears running involuntarily, Purging

Elephantiasis

V.S. Bol Antimoniali Unga Bice Decoct Ulmi Tar water

When the discharge does not immediately
 relieve ought to be stopp'd & a difficult
 Respiration in all very unfavorable
 Symptoms can multum aless when it puts
 on an intermitting appearance is an
 approaching Hætic or Consumption
 Hæmorrhages are always bad if they
 don't give immediate relief Deafness
 is a favorable Symptom —

Noli me tangere

45

Ung Mercur Naf Ung Cetar Bob Calomel Infus Linitis Bob Antimon
Ag Liberans Mercur Alkali f

Rx Sulph Aurat Antimon Calomel a gij quod die b. s. sumend

Lrk

Ag. Ferri. tinct. vel Vin. Hij
 Gall. Zij Lijz. camphor. Zij
 Vitriol Virid Zij pulv Subtil.
 bis die quater. Nodome duob. fiet

Lrk Powder

Gall. Vitriol Virid ^{pulv} Ag. Arab. ^{ae} part. ag.
 fiat Pulvis
 Misend. Aet. quate et digere per
 Loran man

If we write with diluted
 Vitriol and the writing will be
 legible by holding the paper to the fire

87

Sp. sal Ammon x *Naribus* Admoveatur ingruent *Barocif* *Hysteric*

Rx Gum Amon *Aps Solid* a $\frac{3}{4}$ *ss* solve in *aq Bulg* $\frac{3}{4}$ *iv* et adde *Sp.*
Val Amon gut 40 *Capit* *Coct* ij 2.^a *quag* *Flora* vel *Deliquio Animi*

Rx Alois Succot $\frac{3}{4}$ *Calomel* *Extract* *Helleb* *sig* $\frac{3}{4}$ *ss* *Tartar* *Nitriolat* *Di*
R *Jupiperi* *g*.vj *Balsam* *Capis* *qs.* ut *f* *Pill* *R* 40

Rx Calomel *g*.v *Extract* *Heliboris* *sig* *g*.vj *Lapis* *Contray* *g*.xv *Camp* *phoris*
g.ij *Uy* *Caryophyll* *qs.* *f* *Solus* *Flora* *Li.*^a vel *5.*^a *Mercuriana* *Mane*
sumenda et *Repet* *Li.*^a *quag* *Die*

Rx Billab *Gummos* *Gum* *Guajaci* *Mercur* *alkalifat* a $\frac{3}{4}$ *ss* *Bill* *Burfi*
Helibor *sig* *pus* a $\frac{3}{4}$ *ss* *Uy* *Balsam* *qs.* *f* *Pill* *R* 40

Rx Sp. *U* *Trist* *Castorei* *Aps Solid* a $\frac{3}{4}$ *ss* *m* *capit* *Gut* 80 *bis* *de* *Die*
in *Jafus* *Flor* *Chamomel*.

Rx Gummi *Ammon* $\frac{3}{4}$ *ss* *Myrrhis* *Castorei* *Exci* a $\frac{3}{4}$ *ss* *Alois* *g*.xv *Uy* *Balsam*
qs. *f* *Pill* 24 *deaurand* *capit* 8 *bis* *de* *Die* *superbibendo* *Coct* *ij* *Julap*
Sequens

Rx *aq* *Lact* *Bulg* a $\frac{3}{4}$ *ss* *Bryon* *Uy* *Exci* a $\frac{3}{4}$ *ss*
m *f* *Julapium*

Balsam *Sucini* *Batiani*. *Pedilavium* *Batian* *Append* *Tempore*
appropriat *Instantan* *fluxum* *effluire* *Novise* *Bolaine*

Formula from Berkenhout's Chemistry

Beauvine de vie

Ledoary ℥ij
 Alo: succ. & Meriana ℥j
 Rhai ℥ij Gentian ℥j

Digere per sex dies et percola

Eau de Luce

Solve Ol. Succini ℥ in solutione

Sapon. alb. ℥x

in Sp. Vini ℥ii et misce bene

solutionem in Sp. Sal. Ammoniaci ℥. O.

Milk of Roses

Solve ℥. Benz. in Sp. Vini dardde

Aq. Rosar. ℥. O.

Sp. of Lavend.

Misce Ol. Lavend ℥j

Ros. Maris. ℥j

Cinnam. Guttiij

in longj Spiritus Vini Gallie

Ad Erysipelam

25

V. P. et purg. et Sal Miral. et Mannae vel. Lot. commun. Rorz. Host. vel. Salomel. q. v. p. r. n.
 Serpibat. promove. et Liquorib. Tenuissim. et talia. Vapo. Venit. et p. in. Infus. Salis
 solut. Alij modo. Fotus. juvat. Rhab. et Salomel. Tot. ex. Lact. Vaccin. calisfact.
 Decoct. Traumatici. et Lit. Bot. Aluic. et Nit. llug. Unisens. Vind. burgens.

Rp. llug. Saturnin. et Spent. Vitriol. Abbi. et p. m. f. llug.

Rp. Luv. expressi. Oparum. et Lilibrum. et p. m. f. llug.

Rx. Extr: e liut: recent: ℥i
Pulv. e Fol: liut: 9: S. Dosis gr: v ad ℥i

Ung. Basilicum Flav:

Cera Flav:; Terebinth: Ven: a ℥iij

g: Elemi ℥ij, Resin Pin: ℥i

℥. Lini ℥i, liquefac et cola —

Empr: Disolutiens.

Ung. Citrin: Ung Saturn: part: Equal:

Rx. Pulv Jalap: gr xv Rhei gr x

Species Aromat: gr: v. M. fiant

Pillul: v ℥. S. sumendo

Pill Roborans

Rx Ext: Cort. Peruv. ℥i

Vitriol Cerul: pulv gr: v fiant

Pill: xxiv duo ter die sumendo

Rx. Vitriol Alb: gr x Saur: Alb. ℥ij fiant

Pulv: iv j quib: sextis horis sumend:

Electuary

Rx. Electuar: Lenitiv: Part: Solub: ana ℥i M
fiant Electuar:

Empr Disolutiens.

Sapo Nigr: Empr e Cymino Part: Equal:

Ad Apoplexiam

V. S. frequente et copiose Epipastu Curgatio Cinnab Nativ Castore
 Extrayerv Valerian et omnia Medicam Nervosa Epipast Occipiti
 Nuch et Carpi Cucurbit Ociput Sab Vol L. L. Apoc Folio d. q. x. v
 1^a quag Hora. Dole Epileptu Enema purgans fortioris.

Thrush Give Magnesia 2. S. ut Alvos fuerit volutus
 next 8 parts of Honey, Beale^m one part of Borax or Alum

Ulcus Greta 3j. 3j. c Rhai 3ij or a few drops of oil.
 Ammonia Comp. or of the Trictera 3ij Camphorat.
 Sometimes also a little Vinegar is an effectual remedy.

Acidity & Indigestion by too much or by improper Food
 first Purge then Magnesia & Columba Root / Exercised Frictions

Mind on the Stomach owing to a bad System of Diet
 Columba aromatici & Rhai to keep the Body open

Worms are known by a fetid Breath, Itching of the Nose &
 fundaments towards night Excessive Appetite or none at all
 Pains of the Head, Stomach, Gripping hardness of the Belly, Vomiting
 slimy stools, Fever, Thirst, Grinding of the Teeth
 disturbed Sleep, Cough & Convulsions, but uncertain unless seen
 in the stools - Jalap & Calomel & Bitters -

Vomiting if of digested Food change the Diet (if of undigested
 lessen the Quantity) open the Body Give mint Tea w. 3ij 3ij
 of the Bowels a loose state indicates weakness & confined state
 strength but if an Infant passes 26 hours without a Motion some
 Purgative ought to be given

Ad Anginam

(69)

Evacuaciones omnes Epispasticas ad Auram ad Aures. Tonfili Scarific
Sal Ammoniac & Cons Brof q. s. ut Cataplasma uti Epispastic applic
Christall Mineral & p. a. Saut Alb in. Con retenta ad Salivam promoven
Tinct Brof & Spi. Vitriol & Tinct Myrrh.

Sp. & Gamma Wallie affunde et parti affecto applicat alleviat et curat

D^r Heberden on the Diseases of Infants

Let all tight Bandages be removed & superfluous Food withheld
The Breast Milk is preferable 4 or 6 Months & for 6 Months more if fed
Milk & Oatmeal or Milk & Bread boiled smooth For a relaxed
habit Cow's Milk, Rice & Flour For a costive habit Lyuel or Baked
Apples - The best drink for Children is Milk & Water

The Nursery should be light, Airy, Roomy & clean - A Child
should not sleep overmuch in the day time but be exercised

Emetics - Pulv. Ipecacuan. a℥ij ad ℥vj or Antim. Tartariz. ℥ij
in Ag. Zi℥ solut. Zi℥j Sumend. omni quarta parte horae

Purgatives - Menocephalus Al. Rasin Zi℥j & Manna a℥ij ad ℥j
Astringents first purge (Tinct. Opij gutty Chalk Mixt. Zi℥j & Tinct.
give two Teaspoonfulls three or four times a day aromat.

or ℥jx of the Extract of Logwood in a Spoonfull of Milk

The signs of Indisposition are Wakefulness, Restlessness, Crying
heaviness, Retching Vomiting, Loose, Green or Slimy Stools, Coasting
Tongue a Dry or Foul Tongue, Convulsions, Emaciation or relaxation
Dry & Rorekin Eruption, Hoarseness, Startings from Sleep, screaming
hardness & Distention of the Belly Difficulty of Breathing
A strong pulsation of the Arteries of the Neck

The Meconium is a dark viscid Discharge from the Bowels the two
first days give Al. Rasin ℥j or Manna in Ag. Zi℥ solut.
Jaundice Can Emetic & Rasin ℥j

579/

1080/



